

SVENSK STANDARD

SS-EN 14272:2012



Fastställt/Approved: 2012-01-10
Publicerad/Published: 2012-01-13
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 79.060.10

Plywood – Beräkningsmetod för mekaniska egenskaper

Plywood – Calculation method for some mechanical properties

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-84737>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 14272:2011 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 14272:2011.

The European Standard EN 14272:2011 has the status of a Swedish Standard. This document contains the official version of EN 14272:2011.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Träbaserade skivor, SIS/TK 182/AG 8.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 14272

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2011

ICS 79.060.10

Supersedes ENV 14272:2002

English Version

Plywood - Calculation method for some mechanical properties

Contreplaqué - Méthode de calcul pour certaines caractéristiques mécaniques

Sperrholz - Rechenverfahren für einige mechanische Eigenschaften

This European Standard was approved by CEN on 1 October 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	4
1 Scope	5
2 Normative references	5
3 Principle.....	5
4 Terms and definitions	6
5 Symbols	6
5.1 Main symbols	6
5.2 Subscripts	7
6 Calculation method.....	8
6.1 General.....	8
6.2 Properties relevant to the calculation methods	8
6.3 Wood species.....	8
6.4 Factors for plywood composition	8
7 Characteristic values for strength and stiffness in bending, tension and compression.....	11
7.1 General.....	11
7.2 Bending.....	11
7.2.1 General.....	11
7.2.2 Modulus of elasticity	11
7.2.3 Strength	11
7.3 Tension and compression	12
7.3.1 Stiffness and capacity of the layers in the cross section	12
7.3.2 Stiffness and capacity of the panel.....	13
7.3.3 Property of the panel (as if homogenized).....	13
7.4 Property values for layers.....	13
7.4.1 General.....	13
7.4.2 Modulus of elasticity (E_m , E_t , E_c).....	14
7.4.3 Resistance	14
8 Shear properties	15
8.1 Panel shear.....	15
8.1.1 Panel shear rigidity (G_v)	15
8.1.2 Panel shear strength (f_v)	16
8.2 Planar shear	16
8.2.1 General.....	16
8.2.2 Planar shear rigidity (G_r)	16
8.2.3 Planar shear strength (f_r)	17
9 Ratio of strength upon modulus	17
10 Density	17
11 Conversion from strength and modulus of elasticity to capacity and stiffness.....	18
Annex A (normative) Derivation for the veneer values (or basic values)	19
A.1 Scope	19
A.2 Principle.....	19
A.2.1 Option 1: Using plywood test results	19
A.2.2 Option 2: Using solid timber properties	19
A.3 Procedure for derivation of properties from testing plywood	19
A.3.1 General.....	19
A.3.2 Sampling.....	20

A.3.3	Test pieces	20
A.3.4	Testing	20
A.3.5	Exploitation of the results	21
A.4	Derivation of estimated values for veneers	25
A.4.1	General	25
A.4.2	Values obtained by testing	25
A.4.3	Imposed values	25
A.5	Report	25
Annex B	(normative) Practical spreadsheets to derive the properties	27
B.1	General	27
B.2	Bending	28
B.2.1	General	28
B.2.2	Main tables	28
B.2.3	Tables for strength values	31
B.3	Tension and compression	33
B.4	Panel shear	39
B.5	Planar shear	40
B.5.1	General	40
B.5.2	Available veneer values	40
B.5.3	Veneer values not available	42
Annex C	(informative) Example of bending strength	43
C.1	Determination of the stress in the layers	43
C.2	Determination of the panel strength	45
	Bibliography	47

SS-EN 14272:2012 (E)

Foreword

This document (EN 14272:2011) has been prepared by Technical Committee CEN/TC 112 "Wood-based panels", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2012, and conflicting national standards shall be withdrawn at the latest by June 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes ENV 14272:2002.

Annex A and Annex B are normative.

Compared to ENV 14272:2002, the following modifications have been made:

- a) calculation applies to panels of any composition, symmetrical or not;
- b) values resulting for the panels can be used for calculation as characteristics values as required by EN 1995-1-1;
- c) new Annex A (normative) provides the derivation for the veneer values (basic values);
- d) new Annex B (normative) provides practical spreadsheets to derive the properties;
- e) new Annex C (informative) gives an example of bending strength.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies, for plywood panels of any composition, symmetrical or not, a calculation method to derive some mechanical properties (strength and stiffness in bending, tension, compression, panel and planar shear) as well as density from the wood compounding the layers.

NOTE Usually, the lay-up of the panels is symmetrical but, very often, the surface appearance of the face and the surface appearance of the back face differ, hence a difference between the mechanical properties of the respective veneers. Therefore, in this case, the composition is not mechanically symmetrical and a symmetry independent calculation method is needed.

Provided that structural characteristic values are taken for the layers, the resulting values for the panels can be used as characteristic values as required by EN 1995-1-1.

Conversely, Annex A defines the procedures to derive the veneer properties, in bending, tension and compression, either from testing panels according to EN 789 and EN 1058 or from timber testing according to EN 408 or from imposed values defined in EN 338.

Annex B provides practical spreadsheets, which are applications of the equations in the main part of this standard.

Annex C provide an example for the calculation of bending strength, in accordance with Annex B.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 325, *Wood-based panels — Determination of dimensions of test pieces*

EN 338:2009, *Structural timber — Strength classes*

EN 384, *Structural timber — Determination of characteristic values of mechanical properties and density*

EN 408, *Timber structures — Structural timber and glued laminated timber — Determination of some physical and mechanical properties*

EN 789, *Timber structures — Test methods — Determination of mechanical properties of wood based panels*

EN 1058, *Wood-based panels — Determination of characteristic 5-percentile values and characteristic mean values*

EN 12369-2, *Wood-based panels — Characteristic values for structural design — Part 2 Plywood*

EN 14358, *Timber structures — Calculation of characteristic 5-percentile values and acceptance criteria for a sample*

3 Principle

Using the mechanical properties of the wood species, which compound the layers (in this standard referred to as veneer or basic values), it consists in deriving, by calculation, the mechanical properties of a panel.

For bending, tension and compression, each layer property value, along and across the length of the panel, is weighted by a geometrical factor related to its weight in the panel cross section.

SS-EN 14272:2012 (E)

In this standard, where a value for a given property of the veneers is derived with a specified test method (including exploitation of the results), the models in this standard will provide a panel value for that property as if derived with the specified test method.

EXAMPLE For instance, if, in a panel composition, a specified percentile of a bending property of veneers is determined with EN 789 and EN 1058, the calculated value of the bending property of the panel will be its specified percentile as if determined by using EN 789 and EN 1058.

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1 characteristic strength
population fifth percentile value relating to a temperature of 20 °C and a relative humidity of 65 %

4.2 characteristic stiffness
either the population fifth percentile or the mean value relating to a temperature of 20 °C and a relative humidity of 65 %

4.3 characteristic density
population fifth percentile value with mass and volume corresponding to equilibrium at a temperature of 20 °C and a relative humidity of 65 % either of the wood species or of the panels, single species or mixed species

NOTE The density values found from calculation refer to the minimum acceptable density of veneers used in the lay-up of plywood. In the case of single species plywood these values are taken as the characteristic values for the plywood. In the case of mixed species plywood the characteristic value of density of the panel is calculated from the characteristic densities of the individual veneers according to the proportion of each species

4.4 veneer value or basic value
characteristic value of a property to be used for each layer in the equations of the calculation method

NOTE Characteristic values of the wood species, along and across the grain, are fifth percentile values for strength but either mean values or fifth percentile values for stiffness (modulus of elasticity).

4.5 reference panel value
value of a given mechanical property of a panel composition

NOTE It is to be used to derive the veneer value (or basic value) of the property.

5 Symbols

5.1 Main symbols

- A* area ($b \cdot t_{\text{nom}}$), in square millimetres
- f* strength, in Newtons per square millimetre
- E* modulus of elasticity, in Newton per square millimetre
- F_s* shear forces in a bending panel, in Newtons

- G* modulus of rigidity, in Newtons per square millimetre
- b* width of panel (equal to 1 in the equations), in millimetres
- t*, thickness of layers, in millimetres
- T* thickness of panels, in millimetres
- W* section modulus, equal to $(b.t_{\text{nom}}^2 / 6)$, in cubic millimetres
- I* second moment of area, equal to $(b.t_{\text{nom}}^3 / 12)$, in millimetres to the fourth power
- ρ density, in kilograms per cubic metre
- k_a modification factor, appearance class grade
- z* distance of the axis of a layer to the neutral axis of the panel, in millimetres
- Z* distance of the neutral axis from either face of the panel, in millimetres
- Ecc* eccentricity factor, no dimension
- $\Delta L/L$ relative elongation of the layers (bending, tension and compression)
- P* property
- V* strength or modulus, in Newton per square millimetre
- R_w* in the set of layers, the weaker ratio of strength upon modulus for the properties of the wood species involved in the composition of a panel
- U_p* stiffness of the panel
- s* standard deviation

5.2 Subscripts

- m* bending
- t* tension
- c* compression
- v* panel shear
- r* planar shear
- w* applies to the lower ratio strength/modulus (*f/E*) of a property of a layer in a multi-species panel
- nom, mean* nominal value and mean value respectively
- n* number of layers of the panel (from top face to bottom face)
- i* rank of layers from top face
- ax* stands for neutral axis in bending
- ρ density
- 0 parallel to length of the plywood (direction of the grain of the face layers)
- 90 perpendicular to the length