

# SVENSK STANDARD


## SS-EN 4817:2012



Fastställt/Approved: 2012-05-21  
Publicerad/Published: 2012-05-23  
Utgåva/Edition: 1  
Språk/Language: engelska/English  
ICS: 35.240.60; 49.020; 49.035

---

### **Aerospace series – Passive UHF RFID tags intended for aircraft use**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.


## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 4817:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 4817:2012.

The European Standard EN 4817:2012 has the status of a Swedish Standard. This document contains the official version of EN 4817:2012.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 4817**

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2012

---

ICS 35.240.60; 49.035

English Version

## Aerospace series - Passive UHF RFID tags intended for aircraft use

Série aérospatiale - Tags passifs d'identification par  
radiofréquence Ultra Haute Fréquence (RFID UHF) pour  
usage aéronautique

Luft- und Raumfahrt - UHF Passiv RFID-Tags für  
Luffahrtverwendung

This European Standard was approved by CEN on 25 February 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>		<b>Page</b>
Foreword.....		<b>3</b>
Introduction .....		<b>4</b>
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>5</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>4</b>	<b>General requirements.....</b>	<b>9</b>
<b>5</b>	<b>General configuration .....</b>	<b>10</b>
<b>6</b>	<b>Applicability.....</b>	<b>10</b>
<b>7</b>	<b>Requirements .....</b>	<b>10</b>
<b>Bibliography .....</b>		<b>15</b>

## Foreword

This document (EN 4817:2012) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2012, and conflicting national standards shall be withdrawn at the latest by November 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

The requirements for RFID tags to be used in the aerospace industry are very different from non-aviation uses. The parts identified by the RFID tags are high value items, which are often used for ten years or more. Reading and writing across a moderate distance, and over the life-spans of these tagged-parts, is expected to improve data accuracy and cost savings. Furthermore, the aerospace industry is subject to unique considerations regarding qualification, regulations, and safety, which are enforced by aviation authorities such as the EASA, FAA, etc.

These requirements, coupled with the relatively low manufacturing volumes, will drive up the per-part cost of tags developed for the aerospace industry. This will generate the need for a set of RFID tags specifically designed for use on aircraft. Adherence to this European Standard will decrease the development cost of these low-volume, high-capability RFID tags.



## 1 Scope

The scope of this European Standard is to:

- Provide a requirements document for RFID Tag Manufacturers to produce passive UHF tags for the Aerospace industry.
- Identify the minimum performance requirements specific to passive UHF tags used on aircraft parts, accessed only during ground operations.
- Specify the test requirements specific to passive UHF tags for airborne use, in addition to EUROCAE ED-14 / RTCA DO-160 latest issue compliance requirements separately called out in this document.
- Identify existing standards applicable to passive UHF tags.
- Provide a qualification standard for passive UHF tags which will use permanently-affixed installation on aircraft and aircraft parts.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained. All RFID applications must be compliant with local regulation in force (i.e. FCC for US, CEPT/ETSI for Europe).

ISO/IEC 18000-6, *Information technology — Radio frequency identification for item management — Part 6: Parameters for air interface communications at 860 MHz to 960 MHz* <sup>1)</sup>

ISO/IEC 18046-3, *Information technology — Radio frequency identification device performance test methods — Part 3: Test methods for tag performance* <sup>1)</sup>

ISO/IEC TR 18047-6, *Information technology — Radio frequency identification device conformance test methods — Part 6: Test methods for air interface communications at 860 MHz to 960 MHz* <sup>1)</sup>

DO-160 / ED-14, *Environmental Conditions and Test Procedures for Airborne Equipment* <sup>2)</sup>

ATA SPEC 2000, *E-Business Specification for Materials Management* <sup>3)</sup>

---

1) Published by: ISO International Organization for Standardization <http://www.iso.ch/>.

2) Published by: International Radio Technical Commission for Aeronautics <http://www.rtca.com/> and by EUROCAE Regional (EU) European Organisation for Civil Aviation Equipment <http://www.eurocae.org/>.

3) Published by: Air Transport Association Publications.

**SS-EN 4817:2012 (E)**

MIL-STD-810, *Department of Defense Test Method Standard for Environmental Engineering Considerations and Laboratory Tests* <sup>4)</sup>

FAR 14 CFR 25, *Aeronautics and Space — Part 25: Airworthiness standards: Transport Category Airplanes*

AC 20-162, *Airworthiness Approval and Operational Allowance of RFID Systems*

### **3 Terms and definitions**

For the purposes of this document, the following terms and definitions apply.

#### **3.1**

##### **AEROSPACE APPLICATIONS**

used on products created for the aerospace industry

#### **3.2**

##### **AIRBORNE USE**

used on aircraft while in flight—as opposed to Ground Service Equipment, which is used on aircraft, but only while, the aircraft is on the ground

#### **3.3**

##### **ATA: AIR TRANSPORT ASSOCIATION**

airline trade association whose purpose is to foster a business and regulatory environment that ensures safe and secure air transportation. ATA coordinates standards-creation in support of this purpose.

#### **3.4**

##### **BACKSCATTER**

the Radio Frequency (RF) energy reflected by the tag to transmit information to the interrogator. The RFID tag's chip and antenna modulates the incident energy and reflects it back (same orientation but opposite direction). Backscatter is what the interrogator device "reads." An inert piece of aluminium will reflect RF energy, but in the absence of modulation, it is "reflection", not "backscatter."

#### **3.5**

##### **BAP**

Battery Assisted Passive — RFID tags that have an on-board battery to power the electronics in the tag, minimizing the power required from the interrogator Radio Frequency Beam. They backscatter like a passive UHF tag only when they are interrogated. BAP tags have greater read ranges than purely passive tags.

#### **3.6**

##### **BAR-CODE**

a standard method of identifying items based on lines of varying widths and spacing that are visually read by a scanner

#### **3.7**

##### **BLINK RATE**

the rate at which an active Chip/Tag sends out a signal to look for, this can be adjusted from hours to seconds depending on the application and desired battery life of the RFID tag

---

4) Published by: DoD National (US) Mil. Department of Defense <http://www.defenselink.mil/>.

**3.8****CHIP**

“chip”, or “microchip”, refers to integrated circuits, or ICs. This is the “brain” of the RFID tag. RFID chips modulate reflected RF power to transmit data back to an RFID reader, or “interrogator”.

**3.9****EASA**

European Aviation Safety Agency

**3.10****EIRP**

Equivalent Isotropically Radiated Power — the amount of power that would have to be emitted by an isotropic antenna (that evenly distributes power in all directions and is a theoretical construct) to produce the peak power density observed in the direction of maximum antenna gain

**3.11****EUROCAE**

European Organisation for Civil Aviation Equipment

**3.12****FAA**

Federal Aviation Administration — the airworthiness and aviation authority in the United States of America

**3.13****HUMAN-READABLE**

human-readable refers to a representation of information that can be naturally read by humans. In most contexts, the alternative representation is data primarily designed for reading by a machine, e.g., scanner/computer/etc.

**3.14****INLAY**

the RFID inlay is comprised of four primary components: chip, attachment harness, antenna, and substrate. An antenna is either laid or printed on a substrate material (typically a polymer). Designers create antenna patterns to satisfy specific performance requirements. The “chip” is harnessed to the antenna pattern so that the contacts on the chip make contact with the appropriate legs of the antenna.

**3.15****INTEGRATED CIRCUIT (IC)**

see “Chip”

**3.16****INTERROGATOR (READER/WRITER)**

Radio Frequency device whose purpose is to read data from RFID tags or write data to them. There exist both hand-held versions and desk-top versions. Hand-held interrogators have battery power and on-board modulator/demodulators to allow reading permanently-affixed tags while moving past them, and are usually limited in power output.

**3.17****ISO: INTERNATIONAL ORGANIZATION for STANDARDIZATION**

an international association that manages the process of setting global standards for communications and information exchange