

SVENSK STANDARD

SS-EN 16031:2012



Fastställt/Approved: 2012-06-02
Publicerad/Published: 2012-06-05
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 91.220

Temporära konstruktioner – Justerbara teleskopiska aluminiumstämp – Produktkrav, utförande och utvärdering genom beräkning och provning

Adjustable telescopic aluminium props – Product specifications, design and assessment by calculation and tests

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-86534>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.


Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 16031:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16031:2012.

The European Standard EN 16031:2012 has the status of a Swedish Standard. This document contains the official version of EN 16031:2012.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Byggnadsställningar, SIS/TK 173.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 16031

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2012

ICS 91.220

English Version

Adjustable telescopic aluminium props - Product specifications, design and assessment by calculation and tests

Etais télescopiques réglables en aluminium - Spécifications
du produit, conception et évaluation par calculs et essais

Baustützen aus Aluminium mit Ausziehvorrichtung -
Produktfestlegungen, Bemessung und Nachweis durch
Berechnung und Versuche

This European Standard was approved by CEN on 28 April 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	4
Introduction.....	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Symbols	9
5 Classification	10
6 Designations	11
7 Materials	12
8 Requirements	12
8.1 Tubes	12
8.2 Welding	12
8.3 Length adjustment device	12
8.4 Permanent prevention against unintentional disengagement.....	12
8.5 Anti hand trap	13
8.6 Overlapping length	13
8.7 Endplates	14
9 Verification	14
9.1 General.....	14
9.2 Calculation of prop strength.....	15
9.2.1 General.....	15
9.2.2 Imperfections	15
9.2.3 Behaviours of inner and outer tube	17
9.2.4 Boundary conditions	17
9.2.5 Verification of prop strength	21
9.3 Verification of the strength of length adjustment device	22
9.4 Verification of the prevention against unintentional disengagement.....	22
9.5 Confirmation of the calculation results by testing.....	22
10 Tests.....	22
10.1 General.....	22
10.2 Detail tests.....	22
10.2.1 Compression tests on unthreaded tubes.....	22
10.2.2 Compression tests on threaded tube	23
10.2.3 Bending tests on threaded tube.....	25
10.2.4 Tests for the limit eccentricities of prop ends.....	27
10.2.5 Compression tests on length adjustment device	30
10.3 Test of the prevention against unintentional disengagement	30
10.3.1 Purpose of test.....	30
10.3.2 Test arrangement.....	31
10.3.3 Evaluation of test results	31
10.4 Confirmation test for the prop strength	31
10.4.1 Material properties.....	31
10.4.2 Global test	32
11 Documentation of test results	32

	Page
12 Marking	32
13 Assessment	33
14 User manual	33
Annex A (informative) Ongoing production control	34
Bibliography	36

SS-EN 16031:2012 (E)

Foreword

This document (EN 16031:2012) has been prepared by Technical Committee CEN/TC 053 “Temporary works equipment”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2012, and conflicting national standards shall be withdrawn at the latest by November 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This European Standard deals with the more common types of adjustable telescopic aluminium props in current use. It is not intended to prevent development of other types of props. For example, props may have hinged ends or other length adjustment devices or be made of other materials. Whilst such props cannot comply with this European Standard, it is nevertheless recommended that the principals of this European Standard be considered in the design and assessment of such props.

This European Standard is a product standard primarily for use in the field of falsework and formwork standardized in EN 12812.

The specified values for load bearing capacity listed in this European Standard are figures for classification. For site use, γ_F and γ_M can be found in EN 12812.

SS-EN 16031:2012 (E)

1 Scope

This European Standard specifies materials, design requirements and designation together with assessment methods using both calculations and testing for adjustable telescopic aluminium props which are intended for use on construction sites.

It outlines eleven classes of nominal specified values for strengths for adjustable telescopic aluminium props, each having a series of maximum extended lengths.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 74-1, *Couplers, spigot pins and baseplates for use in falsework and scaffolds — Part 1: Couplers for tubes – Requirements and test procedures*

EN 74-2, *Couplers, spigot pins and baseplates for use in falsework and scaffolds — Part 2: Special couplers — Requirements and test procedures*

EN 1999-1-1, *Eurocode 9: Design of aluminium structures — Part 1-1: General structural rules*

EN 1065:1998, *Adjustable telescopic steel props — Product specifications, design and assessment by calculation and tests*

EN 1090-3:2008, *Execution of steel structures and aluminium structures — Part 3: Technical requirements for aluminium structures*

EN 10204:2004, *Metallic materials — Types of inspection documents*

EN 12811-1, *Temporary works equipment — Part 1: Scaffolds — Performance requirements and general design*

EN 12811-2:2004, *Temporary works equipment — Part 2: Information on materials*

EN 12811-3:2002, *Temporary works equipment — Part 3: Load testing*

EN 12812, *Falsework — Performance requirements and general design*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

adjustable telescopic aluminium prop

compression member consisting of two tubes circular or profiled which are telescopically displaceable within each other with a length adjustment device with threaded inner tube (see Figure 1) or with a pin inserted into holes in the inner tube and a mean of fine adjustment using a threaded collar (see Figure 2)

Note 1 to entry: Such props are normally used as a temporary vertical support in construction works.

3.2

endplate

plate which is fixed at right angles to one end of inner and outer tube

3.3

collar nut

nut internally threaded to provide fine length adjustment to the prop to transfer the force from the inner to the outer tube either to a threaded inner tube or through a pin

3.4

inner tube

smaller tube that may be profiled or provided with thread or holes for the coarse adjustment of the prop

3.5

outer tube

larger tube that may be profiled, one end of which could be threaded externally (see Figure 1 and 2)

3.6

length at maximum extension

nominal distance measured between the outside faces of the endplates when the prop is in the fully extended position (fully opened)

3.7

length at minimum extension

nominal distance between the outside faces of endplates when the prop is in the fully closed position

3.8

minimum working length

nominal distance between the outside faces of the endplates necessary to allow safely the dismounting and removal of prop

3.9

safety devices

devices to prevent unintentional disengagement of the inner and outer tube and/or devices to guarantee the minimum overlapping length

3.10

pin

part of the length adjustment device which is inserted through the inner tube holes and is secured to the prop

3.11

working load

nominal characteristic strength of the prop for different classes divided by at least the safety factors given in EN 12812

Note 1 to entry: Safety factors can be greater in national regulations.