

SVENSK STANDARD

SS-EN ISO 17261:2012



Fastställt/Approved: 2012-09-14
Publicerad/Published: 2012-09-18
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 03.220.01; 35.240.60

Vägtrafikinformatik – Automatisk fordons- och utrustningsidentifiering – Arkitektur och terminologi för intermodala godstransporter (ISO 17261:2012)

Intelligent transport systems – Automatic vehicle and equipment identification – Intermodal goods transport architecture and terminology (ISO 17261:2012)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-87448>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.



Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN ISO 17261:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN ISO 17261:2012.

Denna standard ersätter SIS-CEN ISO/TS 17261:2005, utgåva 1.

The European Standard EN ISO 17261:2012 has the status of a Swedish Standard. This document contains the official version of EN ISO 17261:2012.

This standard supersedes the Swedish Standard SIS-CEN ISO/TS 17261:2005, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Vägtrafikinformatik, SIS/TK 255.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN ISO 17261

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2012

ICS 35.240.60; 03.220.01

Supersedes CEN ISO/TS 17261:2005

English Version

**Intelligent transport systems - Automatic vehicle and equipment
identification - Intermodal goods transport architecture and
terminology (ISO 17261:2012)**

Systèmes intelligents de transport - Identification
automatique des véhicules et des équipements -
Architecture et terminologie du transport intermodal des
marchandises (ISO 17261:2012)

Intelligente Transportsysteme - Automatische Fahrzeug-
und Ausstattungsidifizierung - Intermodaler
Gütertransport Architektur und Begriffsbestimmung (ISO
17261:2012)

This European Standard was approved by CEN on 31 August 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

SS-EN ISO 17261:2012 (E)

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Requirements		8
4.1 General requirements		8
4.2 Conceptual architecture		9
4.3 Logical definition		13
4.4 Functional architecture		15
4.5 Application architecture		15
4.6 Information architecture		18
4.7 Object interactions		19
4.8 System security architecture		20
4.9 Resilience issues		20
4.10 Performance issues		21
4.11 Disaster recovery		21
4.12 Migration issues		21
4.13 System specification		21
4.14 Implementation architecture		21
Annex A (informative) Architectural views of logistic and distribution systems		22
Bibliography		30

Foreword

This document (EN ISO 17261:2012) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 17261:2005.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 17261:2012 has been approved by CEN as a EN ISO 17261:2012 without any modification.

SS-EN ISO 17261:2012 (E)

Introduction

This International Standard prescribes the overall parameters within which subsidiary International Standards are constructed. The architecture description defined in this International Standard is a consistent extension to ISO 14814 (AVI reference architectures and terminology).

ISO 14814 provides an architecture context for AVI/AEI for road transport. This International Standard extends this architecture context to include intermodal and multimodal movements.

This International Standard is part of a series of International Standards defining AVI/AEI in the Intelligent Transport Systems/Road Transport and Traffic Telematics (ITS/RTTT) environment. The following documents have been issued from ISO TC 204 to form a family of International Standards for the sector:

ISO 14814	AVI/AEI Reference architectures and terminology;
ISO 14816	AVI/AEI Numbering and data structures;
ISO 14815	AVI/AEI System specification;
ISO 17261	AVI/AEI Intermodal goods transport reference architectures and terminology;
ISO 17262	AVI/AEI Intermodal goods transport: Numbering and data structures;
ISO 17263	AVI/AEI Intermodal goods transport: System parameters;
ISO 17264	AVI/AEI Intermodal goods transport: Interface requirements;

An AVI/AEI interaction in an ITS/RTTT environment comprises an identification of On-Board Equipment (OBE) by a reader/interrogator and can transfer additional data.

The data component in an ITS/RTTT environment provides the basis for unambiguous identification of the OBE, and may also share a medium for a bi-directional interactive exchange of data between the host and OBE and to other equipment (such as smart cards etc.).

The principles of data presentation determined in ISO 17262 have been adopted to provide an interoperable architecture within an International Standard framework. The use of Abstract Syntax Notation One (ASN.1) PER is therefore an integral part of the data architecture determined in this International Standard.

The numbering and data structure are capable of operation both by read/write devices, and by read only devices where there is no requirement (and sometimes no possibility) to write to the OBE.

A key feature of the structure is to provide interoperability of data constructs.

Within the ITS/RTTT sector, applications can range from simple vehicle and equipment identification to complex international systems.

The reference architecture model and the data construct schemes described in this family of International Standards/Technical Specifications extend the approved AVI conceptual architecture to provide a comprehensive conceptual and logical system architecture to describe the relationships and functionality for a wide range of media so that the currency of the International Standard remains good for both existing and future technologies. This International Standard recognises that there are existing AVI/AEI applications and provides a means of supporting such data constructs within this International Standard.

In many cases it is necessary or desirable to use one air carrier frequency and protocol, but this is not always possible or even desirable in all situations.

In accordance with the resolutions of ISO TC 204 and CEN TC 278 the use of Abstract Syntax Notation One (ASN.1) from ISO 8824 as a data definition structure is adopted. Its usage provides maximum interoperability and conformance to existing ITS/RTTT and related International Standards and Technical Specifications.

Intelligent transport systems — Automatic vehicle and equipment identification — Intermodal goods transport architecture and terminology

1 Scope

This International Standard describes the conceptual and logical architecture for automatic vehicle and equipment identification (AVI/AEI) and supporting services in an intermodal/multimodal environment.

It presents a high level view of AEI intermodal and multimodal system architecture, and describes the key sub systems, their associated interfaces and interactions and how they fit into system wide functions such as management, security and information flow.

This International Standard identifies the context of intermodal/multimodal AEI within the overall AVI/AEI context and key external inter-dependencies and interfaces to the intermodal/multimodal sector IT infrastructure. These include interfaces to the external and internal users of the intermodal/multimodal system services and their associated IT systems, interfaces to intermodal/multimodal management systems, existing intermodal/multimodal networks and system operations, and specifically interfaces to item identification and the domain of JTC 1/SC 31, item logistics International Standards. As an architecture it is designed to be complementary and interlocking to that domain.

This International Standard is intended to be complementary and consistent with the work of ISO/TC 104, Freight containers.

It extends the conceptual and communication AVI architecture determined in ISO 14814 and is neither frequency nor air interface protocol specific. It provides maximum interoperability, has a high population capability, and provides the possibility of upwards migration to more capable systems.

It does not include the air interface nor any implementation aspect, only the reference architectures. Subsequent International Standards define data structures for general AVI/AEI and for specific sectors of application.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8824-2, *Information technology — Abstract Syntax Notation One (ASN.1): Information object specification*

ISO/IEC 8824-3, *Information technology — Abstract Syntax Notation One (ASN.1): Constraint specification*

ISO/IEC 8824-4, *Information technology — Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*

ISO/IEC 8825-2:1996, *Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*

ISO 14813-6, *Intelligent transport systems — Reference model architecture(s) for the ITS sector — Part 6: Data presentation in ASN.1*

ISO 14816, *Road transport and traffic telematics — Automatic vehicle and equipment identification — Numbering and data structure*

SS-EN ISO 17261:2012 (E)

ISO 17262, *Intelligent transport systems — Automatic vehicle and equipment identification — Numbering and data structures*

ISO 17263, *Intelligent transport systems — Automatic vehicle and equipment identification — System parameters*

ISO 14817, *Transport information and control systems — Requirements for an ITS/TICS central Data Registry and ITS/TICS Data Dictionaries*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8824-1, ISO 8824-2, ISO 8824-3, ISO 8824-4, ISO 14816 and the following apply.

3.1

address

data element designating the originating source or destination of data being transmitted

3.2

Automatic Equipment Identification

AEI

process of identifying equipment or entities that uses the surface transportation infrastructures by means of OBE's combined with the unambiguous data structure defined in these International Standards

NOTE Within this series of International Standards, "Equipment" indicates large equipment that is carried in, or forms an integral part of, a trailer or trailer mounted unit.

3.3

air interface

conductor-free medium between an OBE and the reader/interrogator through which the linking of the OBE to the reader /interrogator is achieved by means of electro-magnetic signals

3.4

application identifier

one item of a data element construct (usually the first octet) that uniquely identifies the domain of an ITS/RTTT information exchange at an explicitly defined reference point, usually at reference points "Alpha", "Beta" or "Zeta"

NOTE 1 This octet identifies that the message is a specific RTTT message.

NOTE 2 See Figure 5.

3.5

ASN.1

Abstract Syntax Notation One

International Standard for representing data types and structures

NOTE The encoding rules for this abstract syntax notation are defined in ISO 8825-2.

3.6

Automatic Vehicle Identification

AVI

process of identifying vehicles using OBE combined with the unambiguous data structure defined in these International Standards

3.7

AVI/AEI system operator

commercial operator of an AVI/AEI/RTTT system that uses OBE(s) for the purposes defined in this International Standard

3.8

bi-directional dialogue

two way communications between fixed equipment and OBE(s)

3.9

bill of lading

document which evidences a contract of the carriage and the taking over or loading of the goods by the carrier, and by which the carrier undertakes to deliver the goods against surrender of the document

NOTE A provision in the document that the goods are to be delivered to the order of a named person, or to order, or to bearer, constitutes such an undertaking. The document has the following functions:

- a receipt for goods, signed by a duly authorised person on behalf of the carriers;
- a document of title to the goods described therein;
- evidence of the terms and conditions of carriage agreed upon between the two parties.

3.10

communication control

fixed equipment function to control the communication between fixed equipment and OBE

3.11

compatibility

capability of two or more items or components of equipment or material to exist and/or function in the same system or environment without modification, adaptation or mutual interference

3.12

consignment

separately identifiable amount of goods (available to be) transported from one consignor to one consignee via one or more than one modes of transport and specified in one single transport document

3.13

consignor

goods provider

party that provides goods to another party

NOTE A consignor can be a manufacturer, trader, agent, or individual.

3.14

container

receptacle for the transport of goods, especially one readily transferable from one form of transport to another

NOTE See also non-ISO Container.

3.15

Dedicated Short Range Communication

DSRC

means of effecting local (short range) transactions between fixed equipment and OBE(s) using an "air interface" comprising inductive or propagated signals between the fixed equipment and OBE(s)

3.16

data element structure

framework comprising a number of data elements in a prescribed form

NOTE Also known as a "message".

3.17

Electronic Data Interchange

EDI

passing of a data message, or series of messages, between computers and/or between different software systems

NOTE Within this context an EDI message is normally compatible with the form specified in ISO 9897. EDI is an instance of an EDT transaction.