

SVENSK STANDARD

SS-ISO 3601-1:2012

Fastställt/Approved: 2012-11-19
Publicerad/Published: 2012-12-03
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 23.100.60; 83.140.50

Hydraulik och pneumatik – O-ringar – Del 1: Mått, tvärsnitt, toleranser och beteckningskoder (ISO 3601-1:2012, IDT)

Fluid power systems – O-rings – Part 1: Inside diameters, cross-sections, tolerances and designation codes (ISO 3601-1:2012, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-88053>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 3601-1:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 3601-1:2012.

Denna standard ersätter SS-ISO 3601-1:2008, utgåva 1; SS-ISO 3601-1:2008/Cor 1:2009, utgåva 1 och SS-ISO 3601-1:2008/Cor 2:2009, utgåva 1.

The International Standard ISO 3601-1:2012 has the status of a Swedish Standard. This document contains the official version of ISO 3601-1:2012.

This standard supersedes the Swedish Standard SS-ISO 3601-1:2008, edition 1; SS-ISO 3601-1:2008/Cor 1:2009, edition 1 and SS-ISO 3601-1:2008/Cor 2:2009, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Tätningselement, SIS/TK 104.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

| | |
|--|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Symbols | 1 |
| 5 Configuration | 2 |
| 6 Inside diameters, d_1, cross-sections (section diameter), d_2, and tolerances | 2 |
| 7 Designation codes | 3 |
| 8 Methods of measuring for receiving inspection | 4 |
| 9 Identification statement (reference to this part of ISO 3601) | 4 |
| Annex A (normative) Recommended inside diameter tolerances and cross-section tolerances for non-standard (custom) O-ring values | 31 |
| Annex B (informative) Example method of measuring for receiving inspection | 34 |
| Bibliography | 36 |

SS-ISO 3601-1:2012 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 3601-1 was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 7, *Sealing devices*.

This fifth edition cancels and replaces the fourth edition (ISO 3601-1:2008), which has been technically revised. It also incorporates the Technical Corrigenda ISO 3601-1:2008/Cor 1:2009 and ISO 3601-1:2008/Cor 2:2009.

ISO 3601 consists of the following parts, under the general title *Fluid power systems — O-rings*:

- *Part 1: Inside diameters, cross-sections, tolerances and designation codes*
- *Part 2: Housing dimensions for general applications*
- *Part 3: Quality acceptance criteria*
- *Part 4: Anti-extrusion rings (back-up rings)*
- *Part 5: Suitability of elastomeric materials for industrial applications*

Introduction

In fluid power systems, power is transmitted and controlled through a fluid (liquid or gas) under pressure within an enclosed circuit. To avoid leakage or to seal different chambers of a component from each other, sealing devices are used. O-rings are one type of sealing device.

SS-ISO 3601-1:2012 (E)

Fluid power systems — O-rings —

Part 1: Inside diameters, cross-sections, tolerances and designation codes

1 Scope

This part of ISO 3601 specifies the inside diameters, cross-sections, tolerances and designation codes for O-rings used in fluid power systems for general industrial and aerospace applications.

The dimensions and tolerances specified in this part of ISO 3601 are suitable for any elastomeric material, provided that suitable tooling is available.

NOTE The tooling most commonly available is based on 70 IRHD NBR shrinkage rates (see ISO 48). For materials that shrink differently from this standard NBR compound, a special mould can be required to maintain the mean diameters and the tolerance limits listed.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 48, *Rubber, vulcanized or thermoplastic — Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

ISO 3601-3, *Fluid power systems — O-rings — Part 3: Quality acceptance criteria*

ISO 5598, *Fluid power systems and components — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5598 apply.

4 Symbols

The following symbols are used in this part of ISO 3601:

- d_1 O-ring inside diameter;
- d_2 O-ring cross-section diameter.

5 Configuration

The shape of the O-ring shall be toroidal, as shown in Figure 1.




Figure 1 — Typical O-ring configuration

6 Inside diameters, d_1 , cross-sections (section diameter), d_2 , and tolerances


6.1 The combinations of inside diameters and cross-section diameters shall be chosen depending on the application:

- from Tables 1 through 6 for general industrial applications;
- from Tables 7 through 11 for aerospace applications.

6.2 For industrial applications, two classes of inside diameter tolerances, class A and class B, are specified. The tolerance of class B O-rings is based on Equation (A.1). Class A O-rings have tighter inside diameter tolerances than class B O-rings and are suitable for industrial or aerospace applications when the application or the housing require tighter tolerances. Class B O-rings have dimensions and tolerances suitable for general-purpose applications. The inside diameter tolerances are based on Equation (A.1). For information, Figure 2 shows a graphical comparison of the inside-diameter tolerances for class A and class B O-rings.

6.3 Cross-section tolerances for non-standard (custom) O-rings for general industrial applications not listed in Tables 1 through 6 can be chosen from Table A.1. Tolerances for inside diameters for non-standard (custom) class A O-rings are listed in Table A.2. Equation (A.1) can be used to calculate inside diameter tolerances for non-standard (custom) class B O-rings.

In marginal cases, the compliance with the limits of the shape deviations and surface imperfections should be considered besides the dimensional tolerances. See ISO 3601-3.



Key

- X O-ring inside diameter, d_1 , expressed in millimetres
- Y \pm tolerances, expressed in millimetres
- 1 class A tolerance
- 2 class B tolerance

Figure 2 — Graphical comparison of inside diameter tolerances for class A and class B O-rings

7 Designation codes

7.1 O-rings for general industrial applications that conform to this part of ISO 3601 shall be designated as follows:

- a) the word “O-ring” followed by a hyphen;
- b) “ISO3601-1” followed by a hyphen;
- c) the size code from the relevant table (see Tables 1 through 6) and “A” or “B” for the inside diameter tolerance class, followed by a hyphen;
- d) the nominal inside diameter and cross-section dimensions, separated by an “x” and followed by a hyphen;