

Teknisk rapport

SIS-CEN/TR 16364:2012

Publicerad/Published: 2012-12-03
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 13.060.20

Vattenförsörjning – Materials påverkan på dricksvatten – Påverkan på grund av migration – Bedömning av migrering från organiska material med hjälp av matematiska modeller

Influence of materials on water intended for human consumption – Influence due to migration – Prediction of migration from organic materials using mathematical modelling

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-88158>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.


Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Denna tekniska rapport är inte en svensk standard. Detta dokument innehåller den engelska språkversionen av CEN/TR 16364:2012.

This Technical Report is not a Swedish Standard. This document contains the English version of CEN/TR 16364:2012.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i detta dokument lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om nationell och internationell standard.

Information about the content of this document is available from the SIS, Swedish Standards Institute, telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about national and international standards.

Dokumentet är framtaget av kommittén för Vattenförsörjning, SIS/TK 198/AG 164.

Har du synpunkter på innehållet i det här dokumentet, vill du delta i ett kommande revideringsarbete eller vara med och ta fram standarder inom området? Gå in på www.sis.se - där hittar du mer information.

TECHNICAL REPORT

CEN/TR 16364

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

June 2012

ICS 13.060.20

English Version

**Influence of materials on water intended for human consumption
- Influence due to migration - Prediction of migration from
organic materials using mathematical modelling**

Influence des matériaux sur l'eau destinée à la
consommation humaine - Influence de la migration -
Utilisation de modèles mathématiques pour prévoir la
migration depuis des matériaux organiques

Einfluss von Materialien auf Wasser für den menschlichen
Gebrauch - Einfluss infolge der Migration - Abschätzung
der Migration aus organischen Materialien mittels
mathematischer Modellierung

This Technical Report was approved by CEN on 9 April 2012. It has been drawn up by the Technical Committee CEN/TC 164.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		4
Introduction		5
1 Scope		7
2 Normative references		7
3 Terms and definitions		7
4 Principle.....		9
5 Apparatus		9
6 Assumptions that need to be valid		9
7 Required data inputs		10
7.1 General.....		10
7.2 Diffusion coefficient of the substance (D_p).....		10
7.3 Partition coefficient of the substance ($K_{p,w}$).....		10
7.4 Temperature of the system (T).....		11
7.5 Geometry of the material		11
7.6 Material thickness, (d_p).....		11
7.7 Initial concentration of the substance in the material ($c_{p,0}$)		11
7.8 Chemical identity of the substance and its relative molecular weight		11
7.9 Specific gravity of the material (ρ_p).....		11
7.10 Simulation of contact of organic material with test water.....		11
8 Procedure		11
9 Expression of results		12
10 Report		12
Annex A (informative) Principles of the modelling approach.....		14
A.1 Migration modelling.....		14
A.2 Initial and boundary conditions		14
A.3 Solution of the diffusion equation		15
A.4 Obtaining and using diffusion coefficients.....		15
A.4.1 Diffusion coefficients from literature.....		15
A.4.2 Diffusion coefficients from experiment.....		16
A.4.3 Estimation of diffusion coefficients.....		16
A.4.4 Upper-limit diffusion coefficient.....		17
A.4.5 Validated AP' , AP^* and τ values		18
A.4.6 Diffusion coefficients for other materials		18
A.4.7 Worst-case diffusion coefficients		19
A.5 Obtaining and using partition coefficients		19
A.5.1 General.....		19
A.5.2 Partition coefficients from literature and from experiment.....		19
A.5.3 Partition coefficients from experiment.....		20
A.5.4 Estimation of partition coefficients.....		20
A.5.5 Worst-case partition coefficients		21
Annex B (informative) Examples of the application of modelling to migration of substances from a material into drinking water.....		22
B.1 Introduction		22
B.2 Contact conditions		22
B.3 Example calculations		22

B.3.1	General	22
B.3.2	Example 1, cold water test with the material constant in accordance to [7]	23
B.3.3	Example 2 Cold water test with “realistic” material constants (experimentally measured)	24
Annex C	(informative) Validation of the numerical algorithm and software tools	26
C.1	General	26
C.2	Example A	27
C.3	Example B	28
Bibliography	32

Foreword

This document (CEN/TR 16364:2012) has been prepared by Technical Committee CEN/TC 164 "Water supply", the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

Introduction

During the last two decades, several scientific investigations have demonstrated that migration from organic materials into liquid simulants is a physical process that can be modelled successfully. Mass transfer from an organic material into a liquid simulant is predictable because in many cases it follows Fick's law of diffusion, i.e. the diffusion process is the rate determining step. To predict migration from organic materials into contacting media a corresponding diffusion model was established.

This Technical Report describes the application of predictive diffusion modelling to the estimation of the migration of a substance from a product intended for contact with water intended for human consumption – for convenience, and where appropriate, referred to as drinking water in this report. The application applies to organic materials, such as polymers, used to make such products.

The purpose of the report is to stimulate the use of such techniques in member states such that sufficient experience is generated to enable the value of such modelling to be assessed in relation to complementing or substituting the conventional approach.

Normally in member states the estimation of such migration is performed by standardised procedures based on laboratory testing and analysis, i.e. an experimental approach. Migration modelling is an alternative to this type of experimental testing. The experimental determination of the specific migration of substances into test water (simulated drinking water) often requires a considerable amount of time and it can be costly. This conventional approach has worked well and, of course, it generates data on the actual concentration of a substance in test water. However, in some cases the analysis is difficult or even impossible due to problems caused, for example, by chemical degradation, volatilisation of the substance. In addition, the substance may not be amenable to, or the target concentration of interest may be too low for, available analytical techniques. Therefore, the application of a mathematical model could have considerable benefits for industry and regulators, as experience has shown in the control of migration from plastic materials in contact with foodstuffs.

Thus, the modelling approach is attractive because, in principle, it is quicker and more flexible than the conventional testing approach, in that different exposure conditions can be readily investigated - and it should be cheaper.

Modelling of migration has been used for several years in the United States as an additional tool in support of regulatory decisions. Also, the European Union has introduced such diffusion modelling by means of EU Directive 2001/62/EC (the 6th amendment of Directive 90/128/EEC), consolidated in Directive 2002/72/EC as a compliance and quality assurance tool for plastic materials intended to come in contact with foodstuff [3].

The European project SMT-CT98-7513, *Evaluation of Migration Models in Support of Directive 90/128/EEC*, successfully demonstrated the practical value of such diffusion models. The main objectives of this project were to demonstrate:

- the validity of migration models for compliance purposes;
- that a relationship between the specific migration limit (SML) and the concentration of a substance in the finished product can be established.

A report of this project has been finalised and the project results were published in a scientific journal [4]. As indicated above, a major advantage of migration modelling is that it enables calculation of migration values independent of the limitations that affect the experimental/analytical approach. For example, at low cost one can quickly investigate, for compliance or research purposes, a wide range of conditions of contact between material with test water.

The diffusion modelling approach described was originally developed for, and accepted by, the European Commission in the area of plastic materials in contact with foodstuffs. It has been successfully used to simulate the conventional experimental/analytical approach to compliance testing of plastics in contact with foodstuffs. In this latter approach different liquid food simulants, including aqueous simulants, are used.

In principle, the approach is applicable to many organic materials. However, today it has been applied mainly to different types of polyethylene, polypropene, polystyrene and polyvinyl chloride.

Like the experimental approach, the mathematical approach has its limitations. An accurate prediction of the migration of a substance from an organic material to water requires detailed knowledge of the diffusion behaviour of the materials and substances under investigation. The level of information may well require extensive experimental studies – more than the experimental, analytical approach would require. An important feature of the mathematical approach is the possibility of generalisation. Based on known average diffusion behaviour of polymers and substances, a maximum or 'upper-limit' migration can be calculated. This so-called 'worst-case' result may then be used for compliance purposes.

1 Scope

This Technical Report describes a procedure, based on a diffusion model, to be applied to the estimation of specific migration of substances into drinking water from organic materials intended to come into contact with drinking water.

The modelling approach is readily applicable to certain organic materials, as explained in this report. In principle, the diffusion modelling approach is applicable to other organic materials but practical difficulties, in relation to obtaining data to feed into the diffusion model, may restrict or prevent its application. Accordingly, in addition to the diffusion model, scientific estimation procedures for the required data inputs need to be considered.

The approach is normally applicable to organic substances that are soluble in the material matrix. Substances applied externally to a product made of an organic material, e.g. antistatic agents, lubricants, etc. are excluded from the diffusion modelling approach, as are electrolytes, salts, oxides and metals. Only organic substances with well-defined molecular weight or mixtures with well-defined ranges of molecular weights are amenable to the diffusion modelling approach.

The diffusion modelling approach is readily applicable to amenable organic materials in the form of a pipe or a sheet, where data such as material thickness is readily calculable. More complicated product shapes, such as fittings, require assumptions to be made.

It may not be possible to model the effects of test waters that are chemically active, for example test waters to which chlorine has been added to simulate chlorinated drinking water. This is because substances that migrate from a material into water containing chlorine can be converted by chemical reaction into substances with different properties.

2 Normative references

Not applicable.

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

3.1

diffusion model

Fick's Second Law of diffusion that simulates the diffusion of substances from a material into drinking water

3.2

experimental test

technical operation that consists of the determination of one or more characteristics of a given product

3.3

experimental testing procedure

set of instructions for determining by experiment the migration of a substance from a material into water

3.4

software tool

set of instructions for a computer (e.g. a computer program)

Note 1 to entry: In this document it refers to instructions designed to model migration of substances from a material into water.