

SVENSK STANDARD

SS-EN 840-4:2012

Fastställt/Approved: 2012-12-15
Publicerad/Published: 2012-12-20
Utgåva/Edition: 3
Språk/Language: engelska/English
ICS: 13.030.40

Mobila avfallsbehållare –

Del 4: Behållare med fyra hjul och volymer upp till 1700 l, med plant lock, för bred tapp- eller BG- och/eller kamlyftanordningar – Mått och utförande

Mobile waste and recycling containers –

Part 4: Containers with 4 wheels with a capacity up to 1 700 l with flat lid(s), for wide trunnion or BG- and/or wide comb lifting devices – Dimensions and design

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-88332>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 840-4:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 840-4:2012.

Denna standard ersätter SS-EN 840-4:2004, utgåva 2.

The European Standard EN 840-4:2012 has the status of a Swedish Standard. This document contains the official version of EN 840-4:2012.

This standard supersedes the Swedish Standard SS-EN 840-4:2004, edition 2.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Utrustning för avfallshantering, SIS/TK 252.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 840-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2012

ICS 13.030.40

Supersedes EN 840-4:2004

English Version

Mobile waste and recycling containers - Part 4: Containers with 4 wheels with a capacity up to 1 700 l with flat lid(s), for wide trunnion or BG- and/or wide comb lifting devices - Dimensions and design

Conteneurs roulants à ordures ménagères et recyclables -
Partie 4: Conteneurs à 4 roues de capacité inférieure ou égale à 1 700 l à couvercle(s) plat(s), pour lève-conteneurs par tourillon large ou BG-basculateurs et/ou lève-conteneurs à peigne large - Dimensions et conception

Fahrbare Abfall- und Wertstoffbehälter - Teil 4: Behälter mit 4 Rädern und einem Nennvolumen bis 1700 l mit Flachdeckel(n), für breite Schüttungen mit Zapfenaufnahme oder BG-Schüttungen und/oder für breite Kammschüttungen - Maße und Formgebung

This European Standard was approved by CEN on 22 September 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword		3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Volumes	5
5	Dimensions and design	5
6	Nominal mass	6
7	Safety and health requirements	6
8	Testing	6
9	Marking	6
10	Designation	7
Annex A (informative) Recommendations for manufacturers of lifting devices		15
Annex B (informative) A-Deviations		17
Bibliography		18

Foreword

This document (EN 840-4:2012) has been prepared by Technical Committee CEN/TC 183 “Waste management”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2013, and conflicting national standards shall be withdrawn at the latest by June 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 840-4:2004.

Technical changes since the latest edition:

- The content was adapted to the current state of the art and revised editorially.
- Figure 3 has been deleted.
- Frontal receivers Form B and C have been deleted. Figure 2 has been changed accordingly.

This European Standard is one part of the series of standards of EN 840 with the main title *Mobile waste and recycling containers* comprising the following parts:

- *Part 1: Containers with 2 wheels with a capacity up to 400 l for comb lifting devices — Dimensions and design;*
- *Part 2: Containers with 4 wheels with a capacity up to 1 300 l with flat lid(s), for trunnion and/or comb lifting devices — Dimensions and design;*
- *Part 3: Containers with 4 wheels with a capacity up to 1 300 l with dome lid(s), for trunnion and/or comb lifting devices — Dimensions and design;*
- *Part 4: Containers with 4 wheels with a capacity up to 1 700 l with flat lid(s), for wide trunnion or BG-and/or wide comb lifting devices — Dimensions and design (the present document);*
- *Part 5: Performance requirements and test methods;*
- *Part 6: Safety and health requirements.*

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SS-EN 840-4:2012 (E)

1 Scope

This European Standard specifies dimensions and design requirements of mobile waste and recycling containers with 4 wheels, with flat lid(s) and capacity up to 1 700 l to be used by wide trunnion or BG-lifting device and/or wide comb lifting device.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 840-5, *Mobile waste and recycling containers — Part 5: Performance requirements and test methods*

EN 840-6:2012, *Mobile waste and recycling containers — Part 6: Safety and health requirements*

EN 1501-1, *Refuse collection vehicles — General requirements and safety requirements — Part 1: Rear loaded refuse collection vehicles*

EN ISO 11469, *Plastics — Generic identification and marking of plastics products (ISO 11469)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Terms for components of mobile waste and recycling containers and lifting devices in three languages are given in Annex A of EN 840-1:2012.

3.1

mobile waste and recycling container

appropriately designed container fitted with wheels intended to temporarily store waste

3.2

lifting device

structure which picks-up, tilts and empties containers

3.3

comb lifting device

lifting device in which the picking-up system consists of a row of teeth and a locking system to retain the container during emptying

3.4

trunnion lifting device

lifting device in which the picking-up system consists of a pair of arms with automatic locking mechanism to fit the trunnion to retain the container during emptying

3.5

BG lifting device

lifting device in which the picking-up system consists of a pair of arms with adaptors that fit the BG receivers and locks them in order to retain the container during emptying

Note 1 to entry: See Figures 5 and 6.

3.6

volume

total space inside the container when the lid is closed

3.7

nominal volume

capacity

volume stated by the manufacturer

Note 1 to entry: See Table 1 without tolerances.

Note 2 to entry: The English term "capacity" and the French term "capacité" are translated in the German version by the term "Nennvolumen".

3.8

nominal mass

mass, which is calculated as given in Clause 6

3.9

total permissible mass

mass of the container plus the nominal load

3.10

functional and safety dimensions

essential dimensions which ensure the functionality and interchangeability of the container with the compatible lifting device and which are necessary for the operator's safety and health

4 Volumes

This part of EN 840 identifies the two classes of containers:

- Class I - small size (nominal volume up to 1 050 l);
- Class II - large size (nominal volume between 1 050 l and 1 700 l).

Within the two above-mentioned classes of containers the following volumes are identified: 750 l, 1 000 l, 1 300 l, 1 400 l, 1 500 l, 1 600 l and 1 700 l. Nominal volumes different from those referenced can be used by agreement between user and manufacturer. The tolerance of the volumes shall be $\pm 5\%$ maximum measured according to EN 840-5.

5 Dimensions and design

5.1 The design of the containers do not need to correspond to the drawings given in Figure 1. The functional dimensions given in Table 1 shall be respected. Recommendations for manufacturers of lifting devices are given in Annex A (see also EN 1501-1).

5.2 The container shall be constructed so that when it is unloaded or loaded with a nominal load (see Clause 6), it fits on an approved compatible lifting device. It shall be automatically locked safely into the lifting device during the lifting operation. If the container is equipped with a comb receiver, it shall correspond to Figure 2.

5.3 The lid(s) shall cover the opening of the container completely. It shall be opened easily by itself during the emptying cycle It/they shall be made with at least two fixing points and have at least one means of opening.

SS-EN 840-4:2012 (E)

5.4 Handles fitted in front of the trunnion shall have a measurement over the handles of 10 mm less than the actual measurement in Table 1, dimension N° 33. The handles and their location also shall be designed so that they do not damage the operator.

5.5 If the container has ribs in the frontal receiver they shall meet the requirements of Figure 4.

5.6 The container shall have four swivel castors. Each swivel castor shall be capable of withstanding 1/3 of the total permissible mass. Each castor shall meet the requirements of EN 840-5. The container shall have facilities for mounting the castor platine according to at least one of the measurements as shown in Figure 7.

5.7 All the surfaces of the container including design features shall be smooth and free of any foreign bodies or flaws.

5.8 The container should have a drain plug.

5.9 When direction locks are fitted they shall be fixed on at least 2 castors.

5.10 The container should be fitted with 2 braked wheels to requirements of EN 840-5. In case of centralised braking and locking system the brake pedal and the lock shall be fixed on a lateral side of the container. The centralised locking shall be able to be unlocked with a standard triangular key as shown in Figure 8. The effectiveness of this centralised braking system shall conform to EN 840-5.

6 Nominal mass

The container shall be constructed strongly enough to carry a mass of $0,4 \text{ kg/dm}^3 \times \text{nominal volume}$. Containers with a nominal volume of more than 1 100 l shall be constructed strongly enough to carry a load of 440 kg.

7 Safety and health requirements

The container shall meet the safety and health requirements according to EN 840-6.

8 Testing

The container shall fulfil the performance requirements and the tests of EN 840-5.

9 Marking

9.1 Each container complying with the requirements of this part of EN 840 shall be durably and readably marked on the body in a visible part with:

- number of this European Standard (EN 840-4);
- nominal volume;
- manufacturer's name or trademark;
- total permissible mass, in kilograms;
- year and month of manufacturing.

9.2 Additional marking for quality, recycling, etc. is allowed. Starting five years after the publication of this standard, plastic parts of containers, lids and wheels shall be marked in accordance with EN ISO 11469. The use of recycled materials is allowed, presuming that all requirements of this standard are complied with.

10 Designation

The container complying with the requirements of this European Standard shall be designated as follows:

	Container	EN 840-4	1 700	A	A	440
Description						
Standard number						
Nominal volume, in litres						
Frontal receiver form: A = frontal receiver 0 = without frontal receiver						
Lateral receiver: A = trunnions B = BG receiver 0 = without lateral receiver						
Nominal load, in kilograms						