

SVENSK STANDARD

SS-EN 16261-3:2012



Fastställt/Approved: 2012-12-22
Publicerad/Published: 2012-12-27
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 71.100.30

Pyrotekniska artiklar – Fyrverkerier, kategori 4 – Del 3: Provningsmetoder

Pyrotechnic articles – Fireworks, Category 4 – Part 3: Test methods

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-88536>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.



Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 16261-3:2012 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 16261-3:2012.

The European Standard EN 16261-3:2012 has the status of a Swedish Standard. This document contains the official version of EN 16261-3:2012.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Pyroteknik, SIS/TK 443.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 16261-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2012

ICS 71.100.30

English Version

Pyrotechnic articles - Fireworks, Category 4 - Part 3: Test methods

Articles pyrotechniques - Artifices de divertissement,
Catégorie 4 - Partie 3: Méthodes d'essai

Pyrotechnische Gegenstände - Feuerwerkskörper,
Kategorie 4 - Teil 3: Prüfverfahren

This European Standard was approved by CEN on 20 July 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Test environment for functioning test.....	5
4.1 General.....	5
4.2 Wind measurement.....	5
5 Apparatus	5
6 Test methods.....	9
6.1 Construction and stability	9
6.1.1 Outer dimension of item	9
6.1.2 Determination of calibre.....	10
6.1.3 Determination of gross mass	10
6.2 Design – Verification	10
6.3 Determination of tube angle	10
6.3.1 Apparatus	10
6.3.2 Procedure	10
6.4 Angle of ascent and burst height.....	11
6.4.1 General.....	11
6.4.2 Dimensions of mortar.....	11
6.4.3 Support of mortar	11
6.5 Measurement of sound pressure level	11
6.5.1 Apparatus	11
6.5.2 Procedure	11
6.6 Extinguishing of flames	11
6.6.1 Apparatus	11
6.6.2 Procedure	11
6.7 Visual and audible inspections	12
6.8 Mechanical conditioning.....	12
6.8.1 Apparatus	12
6.8.2 Procedure	12
6.9 Thermal conditioning	12
6.9.1 Apparatus	12
6.9.2 Procedure	12
6.10 Function test	12
6.10.1 Apparatus	12
6.10.2 Procedure	13
6.10.3 Monitoring of effect, rising/bursting and drop height.....	13
6.10.4 Monitoring of effect range and effect dimensions of aquatic fireworks	13
6.11 Measuring of CE-marking	14
6.11.1 Apparatus	14
6.11.2 Procedure	14
Annex A (informative) Mechanical Conditioning (Shock Apparatus)	15
Annex B (informative) Procedures for calculation of heights	18
Annex C (informative) Calculation method for safety-/protection distance.....	22
Annex D (informative) Overview of essential safety requirements and corresponding clauses of all parts of EN 16261.....	23

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2007/23/EC on the placing on the market of pyrotechnic articles	24
Bibliography.....	25

SS-EN 16261-3:2012 (E)

Foreword

This document (EN 16261-3:2012) has been prepared by Technical Committee CEN/TC 212 “Pyrotechnic articles”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2013, and conflicting national standards shall be withdrawn at the latest by June 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of Directive 2007/23/EC on the placing on the market of pyrotechnic articles.

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

EN 16261 is divided into the following parts:

- EN 16261-1, *Pyrotechnic articles — Fireworks, category 4 — Part 1: Terminology*;
- EN 16261-2, *Pyrotechnic articles — Fireworks, category 4 — Part 2: Requirements*;
- EN 16261-3, *Pyrotechnic articles — Fireworks, category 4 — Part 3: Test methods*;
- EN 16261-4, *Pyrotechnic articles — Fireworks, category 4 — Part 4: Minimum labelling requirements and instructions for use*.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies test methods for fireworks of category 4.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 16261-1:2012, *Pyrotechnic articles — Fireworks, Category 4 — Part 1: Terminology*

EN 16261-2:2013, *Pyrotechnic articles — Fireworks, Category 4 — Part 2: Requirements*

EN 61672-1, *Electroacoustics — Sound level meters — Part 1: Specifications (IEC 61672-1)*

ISO 3599, *Vernier callipers reading to 0,1 and 0,05 mm*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 16261-1:2012 apply.

4 Test environment for functioning test

4.1 General

A large unobstructed area, which shall be wide open. The measuring points shall be positioned appropriately for the type of measurement being carried out.

For aquatic fireworks, a water test area shall be available for testing the resistance to moisture and functioning in the expected manner.

4.2 Wind measurement

The wind speed at a height of 1,50 m above the ground shall be measured and recorded using a wind speed meter (see 5.5). No performance testing shall be carried out if the wind speed exceeds 5,0 m/s.

5 Apparatus

Any equivalent apparatus with the same accuracy or better may be used.

5.1 Timing device.

Timing device, capable of being read to the nearest 0,1 s.

5.2 Calliper.

Calliper, flat faced vernier calliper reading to 0,1 mm, conforming to ISO 3599.

5.3 Ruler.

Ruler, with a scale resolution of 1,0 mm or better.

SS-EN 16261-3:2012 (E)

5.4 Measuring tape.

Measuring tape, with a scale resolution of 10 mm or better.

5.5 Wind speed meter.

The wind speed meter should accurate to at least 0,5 m/s.

5.6 Balance.

Balance, with an accuracy of $\pm 0,01$ g or better.

5.7 Temperature chamber.

5.7.1 Up to $(50 \pm 2,5)$ °C.

5.7.2 Up to $(75 \pm 2,5)$ °C.

5.8 Sound level meter.

Sound level meter of class 1 conform to EN 61672-1 with a free-field microphone.

5.9 Shock apparatus.

The apparatus shall provide a deceleration of 490 m/s^2 ($-50/+100$) m/s^2 (when measured at the centre of an unloaded platform) and the shock impulse duration (time elapsed from the starting of the machine's deceleration to the time in which the deceleration reaches its maximum value during each first shock pulse) shall be $2 \text{ ms} \pm 1 \text{ ms}$ working at a frequency of $1 \text{ Hz} \pm 0,1 \text{ Hz}$.

An example of an apparatus is shown in Annex A.

5.10 Devices for measuring heights.

Heights shall be measured using universal surveying instruments (USI) such as theodolites, electronic spirit levels or video (visible and/or infrared) systems.

Examples of measuring methods and the calculation of the height are given in Annex B.

5.11 Goniometer.

Goniometer reading to 1° or better.

5.12 Mortar.

The rising height of shells depends particularly on the clearance of the shell in the mortar (ratio of the maximum cross section area of the shell (A_{shell}) to the inner cross section area of the mortar (A_{mortar})), also designated as " Q ". Q is the ratio of the outer diameter of the shell ($d_{\text{o,shell}}$, including the fuse to the lifting charge) squared over the inner diameter of the mortar ($d_{\text{i,mortar}}$) squared. The outer diameter of the shell shall be measured horizontally at the place of largest diameter including the fuse to the lifting charge. The following conditions shall be achieved:

$$0,9 \leq Q = \frac{A_{\text{shell}}}{A_{\text{mortar}}} = \frac{d_{\text{o,shell}}^2}{d_{\text{i,mortar}}^2} \leq 0,98$$

$$\sqrt{1,02 \cdot d^2_{o,shell}} \leq d_{i,mortar} \leq \sqrt{1,1 \cdot d^2_{o,shell}}$$


For calibre ≤ 100 mm, a wider tolerance can be accepted. The following conditions shall be achieved:

$$0,83 \leq Q_{\leq 100}^* \leq 0,98$$

$$\sqrt{1,02 \cdot d^2_{o,shell}} \leq d^*_{i,mortar} \leq \sqrt{1,2 \cdot d^2_{o,shell}}$$

Another determining factor influencing the rising height is the length of the mortar (l_{mortar}) – length from the mortar muzzle to the mortar ground.

The dimensions of the mortar may also be determined from Figures 1, 2 and 3.



Key

X calibre of the shell (mm)

Y internal diameter of the mortar (mm)

Figure 1 — Dimensions of the mortars for spherical shells – Calibre above 100 mm