

SVENSK STANDARD

SS-ISO 22991:2013



Fastställt/Approved: 2013-01-09
Publicerad/Published: 2013-01-14
Utgåva/Edition: 1
Språk/Language: engelska/English
ICS: 23.020.30; 75.200

Gasflaskor – Återfyllningsbara svetsade stålflaskor för gasol (LPG) – Konstruktion och tillverkning (ISO 22991:2004, IDT)

Gas cylinders – Transportable refillable welded steel cylinders for liquefied petroleum gas (LPG) – Design and construction (ISO 22991:2004, IDT)

This preview is downloaded from www.sis.se. Buy the entire standard via <https://www.sis.se/std-88687>

Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Den internationella standarden ISO 22991:2004 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av ISO 22991:2004.

The International Standard ISO 22991:2004 has the status of a Swedish Standard. This document contains the official version of ISO 22991:2004.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Gasflaskor, SIS/TK 296.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	2
4 Symbols	3
5 Materials.....	3
6 Design	4
6.1 General requirements	4
6.2 Calculation of cylindrical shell thickness.....	5
6.3 Design of ends concave to pressure	5
6.4 Ends of other shapes.....	9
6.5 Minimum wall thickness	9
6.6 Design of openings.....	9
6.7 Valve protection	9
7 Construction and workmanship	10
7.1 Welding qualification	10
7.2 Plates and pressed parts.....	10
7.3 Welded joints	10
7.4 Tolerances	10
7.5 Non-pressure-containing attachments	11
7.6 Valve protection	11
7.7 Closure of openings	11
7.8 Heat treatment	11
8 Testing.....	12
8.1 Mechanical testing	12
8.2 Burst test under hydraulic pressure	17
8.3 Pressure test	18
8.4 Radiographic and macro examination.....	18
8.5 Visual examination of the surface of the weld	20
8.6 Pressure cycling (fatigue) test.....	20
9 Acceptance procedure	21
9.1 General	21
9.2 Batch testing	21
9.3 Failure to meet batch test requirements.....	23
10 Technical requirements for type approval	23
11 Marking.....	24
12 Certification	24
Annex A (normative) Manufacturer's marking	25
Annex B (informative) Examples of type approval and production test certificates.....	26

SS-ISO 22991:2013 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22991 was prepared by Technical Committee ISO/TC 58, *Gas cylinders*, Subcommittee SC 3, *Cylinder design*.

Introduction

This International Standard calls for the use of substances and procedures that may be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage. It has been assumed in the drafting of this International Standard, that the execution of its provisions is entrusted to appropriately qualified and experienced people.

SS-ISO 22991:2013 (E)

Gas cylinders — Transportable refillable welded steel cylinders for liquefied petroleum gas (LPG) — Design and construction

1 Scope

This International Standard specifies minimum requirements concerning material, design, construction and workmanship, procedure and test at manufacture of transportable refillable welded steel liquefied petroleum gas (LPG) cylinders of water capacity up to and including 150 l, exposed to ambient temperatures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 643, *Steels — Micrographic determination of the apparent grain size*

ISO 1106-1:1984, *Recommended practice for radiographic examination of fusion welded joints — Part 1: Fusion welded butt joints in steel plates up to 50 mm thick*

ISO 1106-3:1984, *Recommended practice for radiographic examination of fusion welded joints — Part 3: Fusion welded circumferential joints in steel pipes of up to 50 mm wall thickness*

ISO 2504:1973, *Radiography of welds and viewing conditions for films — Utilization of the recommended patterns of image quality indications (I.Q.I.)*

ISO 4136, *Destructive tests on welds in metallic materials — Transverse tensile test*

ISO 4978, *Flat rolled steel products for welded gas cylinders*

ISO 5178, *Destructive tests on welds in metallic materials — Longitudinal tensile test on weld metal in fusion welded joints*

ISO 5817, *Welding — Fusion-welded joints in steel, nickel, titanium and their alloys (beam welding excluded) — Quality levels for imperfections*

ISO 6892, *Metallic materials — Tensile testing at ambient temperature*

ISO 7438, *Metallic materials — Bend test*

ISO 9606-1, *Approval testing of welders — Fusion Welding — Part 1: Steels*

ISO 9956-3, *Specification and approval of welding procedures for metallic materials — Part 3: Welding procedure tests for arc welding of steels*

ISO 10920, *Gas cylinders — 25E taper thread for connection of valves to gas cylinders — Specification*

ISO 11116-1, *Gas cylinders — 17E taper thread for connection of valves to gas cylinders — Part 1: Specifications*

SS-ISO 22991:2013 (E)

ISO 13769, *Gas cylinders — Stamp marking*

ISO 14732, *Welding personnel — Approval testing of welding operators for fusion welding and of resistance weld setters for fully mechanized and automatic welding of metallic materials*

ISO 17637, *Non-destructive testing of welds — Visual testing of fusion-welded joints*

ISO 17639, *Destructive tests on welds in metallic materials — Macroscopic and microscopic examination of welds*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
yield stress
upper yield strength, R_{eh} , or, for steels that do not exhibit a defined yield, the 0,2 % proof stress (non-proportional elongation), R_p

[ISO 6892]

3.2
normalizing
heat treatment in which the cylinder is heated to a uniform temperature above the upper critical point (AC_3) of the steel and then cooled in a controlled atmosphere or still air

3.3
stress relieving
heat treatment given to the cylinder, the object of which is to reduce the residual stresses without altering the metallurgical structure of the steel, by heating to a uniform temperature below the lower critical point (AC_1) of the steel and cooling in a controlled atmosphere or still air

3.4
competent body
person or corporate body who, by combination of appropriate qualifications, training, experience and resources, is able to make objective judgements on the subject

4 Symbols

Table 1 — Symbols and their designations and units

Symbol	Designation	Unit
a	calculated minimum thickness of the cylindrical shell	mm
A	percentage elongation after fracture	%
b	calculated minimum thickness of the end of the cylinder	mm
C	shape factor (see Table 3 and Figure 2)	1
D	outside diameter of the cylinder as given in the design drawing (see Figure 1)	mm
D_p	outside diameter of a bend tests former (see Figure 10)	mm
h	height of the cylindrical part of the end (see Figure 1)	mm
H	outside height of the domed part of the end (see Figure 1)	mm
J	stress reduction factor	1
L	length of the cylinder	mm
L_o	original gauge length of the test piece in accordance with ISO 6892	mm
n	ratio of diameter of bend test former to the thickness of the test piece (see Table 4)	1
P_c	calculation pressure used to calculate the minimum required thickness of the cylindrical shell and ends (see 6.1.3)	bar
P_b	maximum pressure attained during the burst test	bar
P_t	actual test pressure, applied to the cylinder by the manufacturer	bar
P_{tmin}	minimum permissible test pressure	bar
r	inside knuckle radius of the end	mm
R	inside dishing radius of the end	mm
R_g	minimum guaranteed tensile strength	MPa
R_0	minimum value of yield stress guaranteed by the cylinder manufacturer for the finished cylinder	MPa
R_m	actual value of tensile strength determined by the tensile test specified in 8.1.2.2	MPa
NOTE	1 MPa = 1 N/mm ² = 10 bar.	

5 Materials

5.1 Materials for shells and end pressings shall either conform to ISO 4978 or to another equivalent material specification meeting the requirements of Table 2.

NOTE "Materials" refers to materials in the state before any specific transformation with regard to the manufacturing process.

5.2 All parts welded to the cylinder shall be made of compatible material.

5.3 The welding consumables shall be such that they are capable of giving consistent welds with minimum tensile strength at least equal to that specified for the parent materials in the finished cylinder.

5.4 The cylinder manufacturer shall have certificates of the ladle analysis and mechanical properties of the steel supplied for the construction of the pressure-retaining parts of the cylinder.

5.5 The manufacturer shall maintain a system of identification for the materials used in fabrication in order that all materials for pressure parts in the completed cylinder be traceable to its origin.