

SVENSK STANDARD

SS-EN 295-1:2013



Fastställt/Approved: 2013-02-10
Publicerad/Published: 2013-02-11
Utgåva/Edition: 2
Språk/Language: engelska/English
ICS: 23.040.50; 23.040.99; 93.030

Avlopp – Rör och rördelar i glaserad lera – Del 1: Krav på rör, rördelar och fogar

Vitrified clay pipe systems for drains and sewers – Part 1: Requirements for pipes, fittings and joints



Standarder får världen att fungera

SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.

Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på www.sis.se eller ta kontakt med oss på tel 08-555 523 00.



Standards make the world go round

SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.

Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

If you want to know more about SIS, or how standards can streamline your organisation, please visit www.sis.se or contact us on phone +46 (0)8-555 523 00



Europastandarden EN 295-1:2013 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 295-1:2013.

Denna standard ersätter SS-EN 295-1, utgåva 1; SS-EN 295-1/A1, utgåva 1; SS-EN 295-1/A2, utgåva 1; SS-EN 295-1/A3, utgåva 1 och SS-EN 295-10:2006, utgåva 1.

The European Standard EN 295-1:2013 has the status of a Swedish Standard. This document contains the official version of EN 295-1:2013.

This standard supersedes the Swedish Standard SS-EN 295-1, edition 1; SS-EN 295-1/A1, edition 1; SS-EN 295-1/A2, edition 1; SS-EN 295-1/A3, edition 1 and SS-EN 295-10:2006, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.

Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.

Denna standard är framtagen av kommittén för Avloppsteknik, SIS/TK 198/AG 165.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på www.sis.se - där hittar du mer information.

EUROPEAN STANDARD

EN 295-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2013

ICS 93.030

Supersedes EN 295-1:1991, EN 295-10:2005

English Version

Vitrified clay pipe systems for drains and sewers - Part 1: Requirements for pipes, fittings and joints

Systèmes de tuyaux et accessoires en grès pour les réseaux de branchement et d'assainissement - Partie 1: Exigences pour tuyaux, accessoires et assemblages

Steinzeugrohrsysteme für Abwasserleitungen und -kanäle - Teil 1: Anforderungen an Rohre, Formstücke und Verbindungen

This European Standard was approved by CEN on 1 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Symbols and abbreviations	7
4.1 Symbols.....	7
4.2 Abbreviations	7
5 Requirements for pipes and fittings.....	8
5.1 Materials, manufacture, water absorption and appearance	8
5.2 Internal diameter	8
5.3 Length.....	9
5.4 Squareness of ends	9
5.5 Deviation from straightness	9
5.6 Water seal of trapped fittings	9
5.7 Angle of curvature and radius of bends.....	10
5.8 Branch angle of junctions.....	10
5.9 Crushing strength (F_N)	10
5.10 Bending tensile strength.....	12
5.11 Bending moment resistance (BMR).....	12
5.12 Bond strength of adhesive used for fixing fired clay parts together	12
5.13 Fatigue strength under cyclic load.....	13
5.14 Watertightness of pipes and junctions.....	13
5.15 Chemical resistance.....	13
5.16 Hydraulic roughness.....	13
5.17 Abrasion resistance	13
5.18 Airtightness	13
5.19 Tightness of fittings.....	14
5.20 Resistance against high pressure water jetting	14
6 Requirements for joints and joint assemblies	15
6.1 Joint materials.....	15
6.2 Watertightness of joint assemblies under deflection and shear load	16
6.3 Continuity of invert in joint assemblies	17
6.4 Joint interchangeability of pipes and fittings in joint assemblies	17
6.5 Chemical and physical resistance to effluent of joint assemblies.....	19
6.6 Thermal cycling stability of joint assemblies	20
6.7 Long-term thermal stability of joint assemblies	20
7 Common requirements for pipes, fittings and joints.....	20
7.1 Reaction to fire.....	20
7.2 Durability	20
7.3 Dangerous substances	21
8 Designation	21
9 Marking.....	21
9.1 Pipes and fittings	21
9.2 Joints.....	22
10 Evaluation of conformity.....	22
10.1 General	22
10.2 Initial type testing.....	22

10.3	Factory production control (FPC)	22
	Annex A (normative) Requirements for vitrified clay fittings	23
	Annex B (informative) Guidance on design, installation and operation of sewers and drains constructed from vitrified clay pipes	24
B.1	General	24
B.2	Hydraulic design	24
B.3	Structural design	24
B.4	Installation	24
B.5	Operation and maintenance	24
B.6	Economy	25
B.7	Environmental characteristics	25
	Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive	26
ZA.1	Scope and relevant characteristics	26
ZA.2	Procedures for the attestation of conformity of vitrified clay pipes, fittings and pipe joints	28
ZA.3	CE marking	29
	Bibliography	34

Foreword

This document (EN 295-1:2013) has been prepared by Technical Committee CEN/TC 165 "Wastewater engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2013, and conflicting national standards shall be withdrawn at the latest by August 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 295-1:1991 and together with EN 295-2:2013, EN 295-4:2013, EN 295-5:2013, EN 295-6:2013 and EN 295-7:2013 it supersedes EN 295-10:2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main changes with respect to the previous edition are listed below:

- a) new dimensions included in Table 13 and Table 14 and dimensions for products no longer manufactured deleted;
- b) requirements for the resistance to high pressure water jetting added;
- c) requirements for water absorption added;
- d) reaction to fire added;
- e) Annex ZA added;
- f) editorially revised.

The standard series EN 295 "Vitrified clay pipe systems for drains and sewers" consists of the following parts:

- *Part 1: Requirements for pipes, fittings and joints* (the present document)
- *Part 2: Evaluation of conformity and sampling*
- *Part 3: Test methods*
- *Part 4: Requirements for adaptors, connectors and flexible couplings*
- *Part 5: Requirements for perforated pipes and fittings*
- *Part 6: Requirements for components of manholes and inspection chambers*
- *Part 7: Requirements for pipes and joints for pipe jacking*

Guidance on design, installation and operation of sewers and drains constructed from vitrified clay pipes is given in EN 295-1:2013, Annex B.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SS-EN 295-1:2013 (E)**1 Scope**

This European Standard specifies requirements for vitrified clay pipes, fittings and flexible joints for buried drain and sewer systems for the conveyance of wastewater (including domestic wastewater, surface water and rainwater) under gravity and periodic hydraulic surcharge or under continuous low head of pressure.

This standard also specifies requirements for rubber, polyurethane and polypropylene materials and other components used for jointing clay pipes and fittings.

This standard specifies different strength classes, systems of joint dimensions, lengths and fittings.

NOTE 1 The specifiers/purchasers can select them according to their requirements.

This standard does not apply to special fittings, adaptors and compatible accessories, perforated pipes and fittings, manholes and inspection chambers and pipes and joints for pipe jacking, which are specified in other parts of the standard series EN 295.

NOTE 2 Corresponding provisions for the evaluation of conformity (ITT and FPC) and sampling and those for the test methods are further specified in EN 295-2 and EN 295-3, respectively.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 295-2:2013, *Vitrified clay pipe systems for drains and sewers — Part 2: Evaluation of conformity and sampling*

EN 295-3:2012, *Vitrified clay pipe systems for drains and sewers — Part 3: Test methods*

EN 681-1, *Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 1: Vulcanized rubber*

EN 681-4, *Elastomeric seals — Material requirements for pipe joint seals used in water and drainage applications — Part 4: Cast polyurethane sealing elements*

EN 1610:1997, *Construction and testing of drains and sewers*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1
nominal size
DN
numerical designation of size which is a convenient round number equal to or approximately equal to the internal diameter in millimetres

3.2
curvature
angle subtended by the length of a curved fitting at the centre of a circle of nominal radius through the centreline of the fitting

3.3**joint assembly**

adjacent ends of pipes, fittings or adaptors and the means of joining them

3.4**joint system**

dimensions of a joint related to spigot or socket

Note 1 to entry: Joint systems C, D and I are related to internal diameters of sockets, and joint systems E to H are related to the spigot outside diameters.

3.5**sealing element**

factory made component which seals the joint

3.6**fairing**

any component located within a joint to reduce dimensional tolerances of sealing surfaces

3.7**minimum internal diameter**

smallest internal diameter measured within 100 mm of the ends of the pipe

3.8**pipe section**

short length of pipe barrel equal to or greater than 300 mm

3.9**nominal length**

numerical designation of length approximately equal to the internal length of the pipe barrel

4 Symbols and abbreviations**4.1 Symbols**

F_N crushing strength, in kN/m

F_S shear load, in kN

d_3 spigot outside diameter, in mm

d_4 internal diameter of socket or fairing, in mm

p_0 initial air pressure, in kPa

Δp pressure drop, in kPa

W_{15} water addition needed to maintain watertightness test pressure, in l/m²

4.2 Abbreviations

BMR bending moment resistance

CWT classified without the need for testing