

# SVENSK STANDARD

## SS-EN 13774:2013



Fastställt/Approved: 2013-02-26  
Publicerad/Published: 2013-02-28  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 23.060.01

---

### **Rörledningsarmatur – Ventiler för gasdistributionssystem med maximalt driftryck mindre än eller lika med 16 bar – Funktionskrav**

**Valves for gas distribution systems with maximum operating pressure less than or equal to 16 bar – Performance requirements**



# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 13774:2013 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 13774:2013.

Denna standard ersätter SS-EN 13774, utgåva 1.

The European Standard EN 13774:2013 has the status of a Swedish Standard. This document contains the official version of EN 13774:2013.

This standard supersedes the Swedish Standard SS-EN 13774, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Upplysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna upplysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Armatur av Fe-legering, SIS/TK 299.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 13774**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2013

ICS 23.060.01

Supersedes EN 13774:2003

English Version

## Valves for gas distribution systems with maximum operating pressure less than or equal to 16 bar - Performance requirements

Appareils de robinetterie pour les systèmes de distribution du gaz avec une pression maximale de service inférieure ou égale à 16 bar - Exigences de performance

Armaturen für Gasverteilungssysteme mit zulässigen Betriebsdrücken kleiner oder gleich 16 bar - Anforderungen an die Gebrauchstauglichkeit

This European Standard was approved by CEN on 28 December 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

# Contents

Page

Foreword.....	4
<b>1</b> Scope.....	<b>5</b>
<b>2</b> Normative references.....	<b>5</b>
<b>3</b> Terms and definitions .....	<b>7</b>
<b>4</b> Symbols and abbreviations .....	<b>8</b>
<b>5</b> Requirements, type tests and production tests.....	<b>8</b>
5.1 Type testing.....	8
5.1.1 Test samples .....	8
5.1.2 Test documents.....	8
5.1.3 Certification body.....	9
5.2 Materials .....	9
5.2.1 Shell.....	9
5.2.2 Obturator .....	10
5.2.3 Stem or shaft .....	10
5.2.4 Springs .....	11
5.2.5 Seals .....	11
5.2.6 Lubricants .....	11
5.3 Design.....	11
5.3.1 General .....	11
5.3.2 Strength design.....	12
5.3.3 Stems or shafts .....	12
5.3.4 Shell tappings .....	12
5.3.5 Bolt holes for assembly purposes .....	13
5.3.6 Manufacturing apertures.....	13
5.3.7 Sealing systems .....	13
5.3.8 Extended drain, vent and sealant lines .....	13
5.4 Dimensions.....	14
5.4.1 Threaded ends.....	14
5.4.2 End connections .....	15
5.4.3 End-to-end dimensions.....	15
5.5 Operability and endurance .....	15
5.5.1 Operability .....	15
5.5.2 Endurance .....	16
5.6 Strength of stops .....	16
5.7 Mechanical resistance against excessive actuating forces .....	16
5.8 Resistance of the obturator to static differential pressure .....	16
5.9 Shell strength.....	16
5.10 External leak tightness .....	17
5.11 Internal leak tightness.....	17
5.12 Resistance to wear (optional test).....	17
5.13 Reference flow rate (optional test) .....	18
5.14 Cleanliness.....	18
5.15 Storage .....	18
<b>6</b> Marking.....	<b>18</b>
<b>Annex A</b> (normative) <b>Test methods for valves</b> .....	<b>20</b>
A.1 Accuracy of measurements and stability.....	20
A.2 Test method 1: operability and operating forces test.....	20
A.2.1 General .....	20

<b>A.2.2</b>	<b>Operability test .....</b>	<b>20</b>
<b>A.2.3</b>	<b>Endurance test .....</b>	<b>20</b>
<b>A.3</b>	<b>Test method 2: strength of stops .....</b>	<b>21</b>
<b>A.3.1</b>	<b>General .....</b>	<b>21</b>
<b>A.3.2</b>	<b>Procedure .....</b>	<b>21</b>
<b>A.4</b>	<b>Test method 3: resistance of the obturator to static differential pressure .....</b>	<b>21</b>
<b>A.5</b>	<b>Test method 4: wear test.....</b>	<b>21</b>
<b>A.5.1</b>	<b>General .....</b>	<b>21</b>
<b>A.5.2</b>	<b>Procedure .....</b>	<b>21</b>
<b>A.6</b>	<b>Test method 5: internal leak tightness test for DIB valves.....</b>	<b>22</b>
<b>A.6.1</b>	<b>General .....</b>	<b>22</b>
<b>A.6.2</b>	<b>Procedure .....</b>	<b>22</b>
<b>A.6.3</b>	<b>Test conditions.....</b>	<b>23</b>
<b>A.7</b>	<b>Test method 6: strength test on torque/thrust.....</b>	<b>23</b>
<b>A.7.1</b>	<b>General .....</b>	<b>23</b>
<b>A.7.2</b>	<b>Measured breakaway torque/thrust.....</b>	<b>23</b>
<b>A.7.3</b>	<b>Performance of test.....</b>	<b>24</b>
<b>A.7.4</b>	<b>Acceptance criteria .....</b>	<b>24</b>
<b>Annex B</b>	<b>(informative) European Standards for valves.....</b>	<b>25</b>
<b>Annex C</b>	<b>(informative) Summary of tests on product and type tests .....</b>	<b>26</b>
<b>Bibliography</b>	<b>.....</b>	<b>29</b>

## Foreword

This document (EN 13774:2013) has been prepared by Technical Committee CEN/TC 69 “Industrial valves”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2013, and conflicting national standards shall be withdrawn at the latest by August 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13774:2003.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The following is a list of the main changes compared to the previous edition:

- a) the Scope has been modified;
- b) the Normative References (Clause 2) have been updated;
- c) requirements of type tests and production tests (Clause 5) have been completely revised, in particular:
  - 1) requirements for “strength design” (5.3.2), for “extended drain, vent and sealant lines” (5.3.8), for “end-to-end dimensions” (5.4.3), for “mechanical resistance against excessive actuating forces” (5.7) have been added;
  - 2) requirements for “resistance to wear” (5.12) and for “reference flow rate” (5.13) became optional;
  - 3) requirements for “bending resistance” and for “resistance to liquid agents” have been deleted;
- d) the annex on analysis of the technical file and recording of the initial conditions has been deleted;
- e) the annex on test methods for valves (Annex A) has been updated;
- f) the annex on additional characteristics on request from the purchaser has been deleted;
- g) the annex on resistance to bending moment applied via the stem or the shaft has been deleted;
- h) the annex providing the European Standards for valves (Annex B) has been updated;
- i) the annex giving a summary of tests on product and type tests (Annex C) has been added;
- j) the Bibliography has been updated.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



## 1 Scope

This European Standard deals with metal isolating valves used for gas distribution systems with maximum operating pressure up to 16 bar, and which operate with fuel gases of the first, the second and the third family, in accordance with EN 437.

The types of isolating valves to be considered are: plug and ball valves, gate valves, globe valves and butterfly valves.

This standard does not apply to:

- valves for domestic installations;
- safety type pressure relief valves;
- wellhead valves.

In the case of power operated valves, the requirements for the power source are not covered by this European Standard.

The valves covered in this European Standard operate in the following classes of temperature:

- - 10 °C to 60 °C;
- - 20 °C to 60 °C;
- the range is stated by the purchaser for special design.

This European Standard gives additional requirements to the relevant products standards. (See Annex B.)

In case of contradictions between the standards mentioned in Annex B and this European Standard, EN 13774 prevails.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 19, *Industrial valves — Marking of metallic valves*

EN 377, *Lubricants for applications in appliances and associated controls using combustible gases except those designed for use in industrial processes*

EN 549, *Rubber materials for seals and diaphragms for gas appliances and gas equipment*

EN 558, *Industrial valves — Face-to-face and centre-to-face dimensions of metal valves for use in flanged pipe systems — PN and Class designated valves*

EN 682, *Elastomeric Seals — Materials requirements for seals used in pipes and fittings carrying gas and hydrocarbon fluids*

EN 736-1:1995, *Valves — Terminology — Part 1: Definition of types of valves*

EN 736-2:1997, *Valves — Terminology — Part 2: Definition of components of valves*

**SS-EN 13774:2013 (E)**

- EN 736-3:2008, *Valves — Terminology — Part 3: Definition of terms*
- EN 764-1:2004, *Pressure equipment — Part 1: Terminology — Pressure, temperature, volume, nominal size*
- EN 1092-1, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges*
- EN 1092-2, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 2: Cast iron flanges*
- EN 1092-3, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 3: Copper alloy flanges*
- EN 1555-1, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 1: General*
- EN 1555-2, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 2: Pipes*
- EN 1555-3, *Plastics piping systems for the supply of gaseous fuels — Polyethylene (PE) — Part 3: Fittings*
- EN 1759-1, *Flanges and their joint — Circular flanges for pipes, valves, fittings and accessories, Class designated — Part 1: Steel flanges, NPS 1/2 to 24*
- EN 1759-3, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, Class designated — Part 3: Copper alloy flanges*
- EN 10204, *Metallic products — Types of inspection documents*
- EN 10226-1, *Pipe threads where pressure tight joints are made on the threads — Part 1: Taper external threads and parallel internal threads — Dimensions, tolerances and designation*
- EN 12117, *Plastics piping systems — Fittings, valves and ancillaries — Determination of gaseous flow rate/pressure drop relationships*
- EN 12266-1:2012, *Industrial valves — Testing of metallic valves — Part 1: Pressure tests, test procedures and acceptance criteria — Mandatory requirements*
- EN 12516-1, *Industrial valves — Shell design strength — Part 1: Tabulation method for steel valve shells*
- EN 12516-2, *Industrial valves — Shell design strength — Part 2: Calculation method for steel valve shells*
- EN 12516-3, *Valves — Shell design strength — Part 3: Experimental method*
- EN 12516-4, *Industrial valves — Shell design strength — Part 4: Calculation method for valve shells manufactured in metallic materials other than steel*
- EN 12570, *Industrial valves — Method for sizing the operating element*
- EN 12627, *Industrial valves — Butt welding ends for steel valves*
- EN 12982, *Industrial valves — End-to-end and centre-to-end dimensions for butt welding end valves*
- EN 13942, *Petroleum and natural gas industries — Pipeline transportation systems — Pipeline valves (ISO 14313:2007 modified)*
- EN ISO 228-1, *Pipe threads where pressure-tight joints are not made on the threads — Part 1: Dimensions, tolerances and designation (ISO 228-1)*

EN ISO 8434-1, *Metallic tube connections for fluid power and general use — Part 1: 24 degree cone connectors (ISO 8434-1)*

ISO 272, *Fasteners — Hexagon products — Widths across flats*

ASME B1.20.1, *Pipe Threads, General Purpose (Inch)*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 736-1:1995, EN 736-2:1997, EN 736-3:2008 and EN 764-1:2004 and the following apply.

#### 3.1

##### **gas distribution system**

pipeline system including piping above and below ground and all other equipment necessary to supply the gas to the consumers

#### 3.2

##### **external tightness**

shell tightness

tightness of the gas-containing envelope with respect to the atmosphere

#### 3.3

##### **internal tightness**

seat tightness

tightness ensured between the valve inlet and outlet by the closure device in the closed position

#### 3.4

##### **volume rate of flow**

volume of fluid discharged by the valve per time unit

#### 3.5

##### **reference flow rate**

rate of the air flow in cubic metres per hour, as measured at 0 °C at the absolute pressure of 1 013 mbar, discharged by the valve and creating therein a specified pressure drop, at a specified air pressure upstream of the valve

#### 3.6

##### **maximum allowable pressure**

$p_{\max}$

maximum pressure at which any part of a valve continuously operates at a specified operating temperature

#### 3.7

##### **maximum operating pressure**

MOP

maximum pressure in a system operated continuously under normal operating conditions

Note 1 to entry: "Normal operating conditions" means no malfunctioning of the equipment or disruption to the gas flow.

#### 3.8

##### **maximum strength torque**

maximum torque applied to the stem or the shaft, with the obturator either totally open or totally closed, which causes no alteration to the functional capability of the valve