

# SVENSK STANDARD

## SS-EN 10149-2:2013



Fastställt/Approved: 2013-09-30  
Publicerad/Published: 2013-10-01  
Utgåva/Edition: 2  
Språk/Language: engelska/English  
ICS: 77.140.10; 77.140.50

---

### **Varmvalsade platta produkter av höghållfast kallformningsstål – Del 2: Leveransbestämmelser för termomekaniskt valsat stål**

**Hot rolled flat products made of high yield strength steels for  
cold forming –  
Part 2: Technical delivery conditions for thermomechanically  
rolled steels**

This preview is downloaded from [www.sis.se](http://www.sis.se). Buy the entire standard via <https://www.sis.se/std-99556>

# Standarder får världen att fungera

*SIS (Swedish Standards Institute) är en fristående ideell förening med medlemmar från både privat och offentlig sektor. Vi är en del av det europeiska och globala nätverk som utarbetar internationella standarder. Standarder är dokumenterad kunskap utvecklad av framstående aktörer inom industri, näringsliv och samhälle och befrämjar handel över gränser, bidrar till att processer och produkter blir säkrare samt effektiviserar din verksamhet.*

## Delta och påverka

Som medlem i SIS har du möjlighet att påverka framtida standarder inom ditt område på nationell, europeisk och global nivå. Du får samtidigt tillgång till tidig information om utvecklingen inom din bransch.

## Ta del av det färdiga arbetet

Vi erbjuder våra kunder allt som rör standarder och deras tillämpning. Hos oss kan du köpa alla publikationer du behöver – allt från enskilda standarder, tekniska rapporter och standardpaket till handböcker och onlinetjänster. Genom vår webbtjänst e-nav får du tillgång till ett lättnavigerat bibliotek där alla standarder som är aktuella för ditt företag finns tillgängliga. Standarder och handböcker är källor till kunskap. Vi säljer dem.

## Utveckla din kompetens och lyckas bättre i ditt arbete

Hos SIS kan du gå öppna eller företagsinterna utbildningar kring innehåll och tillämpning av standarder. Genom vår närhet till den internationella utvecklingen och ISO får du rätt kunskap i rätt tid, direkt från källan. Med vår kunskap om standarders möjligheter hjälper vi våra kunder att skapa verklig nytta och lönsamhet i sina verksamheter.

**Vill du veta mer om SIS eller hur standarder kan effektivisera din verksamhet är du välkommen in på [www.sis.se](http://www.sis.se) eller ta kontakt med oss på tel 08-555 523 00.**



# Standards make the world go round

*SIS (Swedish Standards Institute) is an independent non-profit organisation with members from both the private and public sectors. We are part of the European and global network that draws up international standards. Standards consist of documented knowledge developed by prominent actors within the industry, business world and society. They promote cross-border trade, they help to make processes and products safer and they streamline your organisation.*

## Take part and have influence

As a member of SIS you will have the possibility to participate in standardization activities on national, European and global level. The membership in SIS will give you the opportunity to influence future standards and gain access to early stage information about developments within your field.

## Get to know the finished work

We offer our customers everything in connection with standards and their application. You can purchase all the publications you need from us - everything from individual standards, technical reports and standard packages through to manuals and online services. Our web service e-nav gives you access to an easy-to-navigate library where all standards that are relevant to your company are available. Standards and manuals are sources of knowledge. We sell them.

## Increase understanding and improve perception

With SIS you can undergo either shared or in-house training in the content and application of standards. Thanks to our proximity to international development and ISO you receive the right knowledge at the right time, direct from the source. With our knowledge about the potential of standards, we assist our customers in creating tangible benefit and profitability in their organisations.

**If you want to know more about SIS, or how standards can streamline your organisation, please visit [www.sis.se](http://www.sis.se) or contact us on phone +46 (0)8-555 523 00**



Europastandarden EN 10149-2:2013 gäller som svensk standard. Detta dokument innehåller den officiella engelska versionen av EN 10149-2:2013.

Denna standard ersätter SS-EN 10149-2, utgåva 1.

The European Standard EN 10149-2:2013 has the status of a Swedish Standard. This document contains the official version of EN 10149-2:2013.

This standard supersedes the Swedish Standard SS-EN 10149-2, edition 1.

© Copyright/Upphovsrätten till denna produkt tillhör SIS, Swedish Standards Institute, Stockholm, Sverige. Användningen av denna produkt regleras av slutanvändarlicensen som återfinns i denna produkt, se standardens sista sidor.

© Copyright SIS, Swedish Standards Institute, Stockholm, Sweden. All rights reserved. The use of this product is governed by the end-user licence for this product. You will find the licence in the end of this document.

*Uppllysningar om sakinnehållet i standarden lämnas av SIS, Swedish Standards Institute, telefon 08-555 520 00. Standarder kan beställas hos SIS Förlag AB som även lämnar allmänna uppllysningar om svensk och utländsk standard.*

*Information about the content of the standard is available from the Swedish Standards Institute (SIS), telephone +46 8 555 520 00. Standards may be ordered from SIS Förlag AB, who can also provide general information about Swedish and foreign standards.*

Denna standard är framtagen av kommittén för Allmänna konstruktionsstål, SIS/TK 142.

Har du synpunkter på innehållet i den här standarden, vill du delta i ett kommande revideringsarbete eller vara med och ta fram andra standarder inom området? Gå in på [www.sis.se](http://www.sis.se) - där hittar du mer information.



EUROPEAN STANDARD

**EN 10149-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2013

ICS 77.140.50

Supersedes EN 10149-2:1995

English Version

**Hot rolled flat products made of high yield strength steels for  
cold forming - Part 2: Technical delivery conditions for  
thermomechanically rolled steels**

Produits plats laminés à chaud en aciers à haute limite  
d'élasticité pour formage à froid - Partie 2: Conditions  
techniques de livraison des aciers obtenus par laminage  
thermomécanique

Warmgewalzte Flacherzeugnisse aus Stählen mit hoher  
Streckgrenze zum Kaltumformen - Teil 2: Technische  
Lieferbedingungen für thermomechanisch gewalzte Stähle

This European Standard was approved by CEN on 17 August 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

| <b>Contents</b>  | <b>Page</b> |
|--|-------------|
| Foreword.....  | 3           |
| <b>1 Scope .....</b>   | <b>4</b>    |
| <b>2 Normative references .....</b>  | <b>4</b>    |
| <b>3 Terms and definitions .....</b>   | <b>4</b>    |
| <b>4 Information to be supplied by the purchaser .....</b>                   | <b>4</b>    |
| 4.1 General.....   | 4           |
| 4.2 Options .....  | 5           |
| <b>5 Dimensions, mass and tolerances.....</b>                                | <b>5</b>    |
| 5.1 Dimensions and tolerances .....  | 5           |
| 5.2 Mass of steel .....  | 5           |
| <b>6 Classification and designation.....</b>                                 | <b>5</b>    |
| 6.1 Classification.....  | 5           |
| 6.2 Designation .....  | 5           |
| <b>7 Technical requirements .....</b>  | <b>5</b>    |
| 7.1 Steel manufacturing process .....  | 5           |
| 7.2 Delivery condition.....  | 5           |
| 7.3 Chemical composition .....   | 5           |
| 7.4 Mechanical properties.....   | 6           |
| 7.5 Technological properties .....   | 6           |
| 7.5.1 Weldability .....  | 6           |
| 7.5.2 Formability.....   | 6           |
| 7.6 Surface finish .....   | 7           |
| 7.7 Internal soundness.....  | 7           |
| <b>8 Inspection and testing.....</b>   | <b>7</b>    |
| 8.1 General.....   | 7           |
| 8.2 Sampling.....  | 7           |
| 8.3 Test units .....   | 7           |
| 8.4 Verification of chemical composition.....                                | 7           |
| 8.5 Preparation of samples and test pieces.....                              | 8           |
| 8.6 Test methods.....  | 8           |
| 8.7 Retests and resubmission for testing .....                               | 8           |
| 8.8 Inspection documents.....  | 8           |
| <b>9 Marking .....</b>   | <b>8</b>    |
| <b>10 Disputes .....</b>   | <b>8</b>    |
| <b>11 Options .....</b>  | <b>8</b>    |
| <b>Annex A (normative) Location of test pieces .....</b>                     | <b>11</b>   |
| <b>Annex B (informative) Minimum inside bend radii for cold forming.....</b> | <b>12</b>   |
| <b>Bibliography .....</b>  | <b>13</b>   |

## Foreword

This document (EN 10149-2:2013) has been prepared by Technical Committee ECISS/TC 103 “Structural steel other than reinforcements”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2014, and conflicting national standards shall be withdrawn at the latest by March 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 10149-2:1995.

In comparison with EN 10149-2:1995, the following significant technical changes were made:

- Scope was modified;
- subclause 6.1 was revised;
- subclause 7.4.1 was modified;
- subclause 7.5.3 was completely revised;
- Option 13) was added in Clause 11;
- steel grades S900MC and S960MC were added in Tables 1, 2 and B.1;
- footnotes f and g were added in Table 2.

The titles of the other Parts of this European Standard are:

- *Part 1: General technical delivery conditions;*
- *Part 3: Technical delivery conditions for normalized or normalized rolled steels.*

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## SS-EN 10149-2:2013 (E)

### 1 Scope

This European Standard, in addition to EN 10149-1, specifies requirements for flat products made of weldable, hot-rolled, high yield strength steels for cold forming.

The grades are given in Table 1 (chemical composition) and Table 2 (mechanical properties) and are supplied in the thermomechanically rolled delivery condition as given in 7.2.

The steels specified in this European Standard are applicable to hot-rolled flat products in the thickness range of:

- 1,5 mm to 20 mm for the steels which have a specified minimum yield strength of 315 MPa<sup>1)</sup> up to and including 460 MPa<sup>1)</sup>;
- 1,5 mm to 16 mm for the steels which have a specified minimum yield strength of 500 MPa<sup>1)</sup> up to and including 700 MPa<sup>1)</sup>; and
- from 2 mm up to 10 mm for the steels with a minimum yield stress in the range from 900 MPa<sup>1)</sup> to 960 MPa<sup>1)</sup>.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10029, *Hot-rolled plates 3 mm thick or above - Tolerances on dimensions and shape*

EN 10051, *Continuously hot-rolled strip and plate/sheet cut from wide strip of non-alloy and alloy steels - Tolerances on dimensions and shape*

EN 10149-1:2013, *Hot rolled flat products made of high yield strength steels for cold forming - Part 1: General technical delivery conditions*

EN ISO 14713-2:2009, *Zinc coatings - Guidelines and recommendations for the protection against corrosion of iron and steel in structures - Part 2: Hot dip galvanizing (ISO 14713-2:2009)*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 10149-1:2013 apply.

### 4 Information to be supplied by the purchaser

#### 4.1 General

The information to be supplied by the purchaser shall be in accordance with EN 10149-1.

---

1) 1 MPa = 1 N/mm<sup>2</sup>.



## **4.2 Options**

The options given in EN 10149-1 and Clause 11 shall apply.

## **5 Dimensions, mass and tolerances**

### **5.1 Dimensions and tolerances**

The dimensions and tolerances shall be in accordance with EN 10149-1.

For hot rolled plate tolerances, the basic requirements shall be in accordance with EN 10029, including thickness tolerances to class A, unless otherwise agreed at the time of the order.

For plates cut from continuously hot rolled strip, the thickness tolerances shall be in accordance with EN 10051.

### **5.2 Mass of steel**

The calculated mass of steel shall be determined in accordance with EN 10149-1.

## **6 Classification and designation**

### **6.1 Classification**

The steel grades S315MC, S355MC, S420MC, S460MC, S500MC and S550MC of this European Standard are alloy quality steels and the steel grades S600MC, S650MC, S700MC, S900MC and S960MC of this European Standard are alloy special steels according to EN 10020.

### **6.2 Designation**

The designation shall comply with EN 10149-1.

## **7 Technical requirements**

### **7.1 Steel manufacturing process**

The steel manufacturing process shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 1).

### **7.2 Delivery condition**

The products shall be supplied in the thermomechanically rolled delivery condition.

The surface protection of descaled products shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 2).

### **7.3 Chemical composition**

The requirements of EN 10149-1 shall apply.

## SS-EN 10149-2:2013 (E)

The chemical composition determined by ladle analysis shall comply with the specified values of Table 1.

See EN 10149-1:2013, Clause 11, option 3).

### 7.4 Mechanical properties

#### 7.4.1 General

Under the inspection and testing conditions as specified in Clause 8 and in the delivery condition as specified in 7.2, the mechanical properties shall comply with the values given in Table 2.

Heating of grades S900MC and S960MC above 400 °C is not recommended. If the purchaser intends to heat grades S900MC and S960MC at temperatures above 400 °C, the mechanical properties after such heating should be agreed at the time of order.

See EN 10149-1:2013, Clause 11, option 13).

#### 7.4.2 Impact energy

If agreed at the time of the order, the verification of the impact energy value shall be carried out in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 5).

### 7.5 Technological properties

#### 7.5.1 Weldability

Weldability shall be in accordance with EN 10149-1.

#### 7.5.2 Formability

##### 7.5.2.1 General

NOTE Recommendations regarding cold forming are laid down in CEN/TR 10347. The products supplied according to this standard are not suitable for hot forming.

##### 7.5.2.2 Cold forming

###### 7.5.2.2.1 General

Annex B contains indicative values for the inside bend radii for cold forming.

###### 7.5.2.2.2 Flangeability

The products are suitable for flanging without cracking.

###### 7.5.2.2.3 Roll forming

The suitability for roll forming shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 6).

### **7.5.3 Hot-dip zinc-coating**

For grades S315MC to S700MC, requirements for chemical composition of steels to be hot-dip zinc coated shall be separately agreed between manufacturer and purchaser.

EN ISO 1461 should be used to specify coating requirements. EN ISO 14713-2 provides further guidance, including information on the influence of various factors, including steel chemical composition, on the coating formation.

Option 7) (see EN 10149-1:2013, Clause 11) can be used to order steels with a chemical composition required for hot-dip zinc coating. When option 7) is implemented, the purchaser and manufacturer shall agree with a steel composition (ladle analysis) of silicon and phosphorous according to either Category A (or steels satisfying the formula  $Si \leq 0,03 \%$  and  $Si+2.5P \leq 0,09 \%$ ) or Category B (limited to  $0,14 \% < Si \leq 0,25 \%$ ) or Category D (limited to  $0,25 \% < Si \leq 0,35 \%$ ) with required values as cited by the ranges given in EN ISO 14713-2:2009, Table 1, column 2.

NOTE EN ISO 14713-2:2009, Table 1, gives guidance on typical coating characteristics associated with certain steel compositions on the basis of the surface composition of silicon and phosphorous.

In some cases, steels above S460 may be sensitive to cracking during galvanizing and therefore special care should be taken.

## **7.6 Surface finish**

The surface finish shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 8).

## **7.7 Internal soundness**

The internal soundness shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 9).

# **8 Inspection and testing**

## **8.1 General**

The products shall be supplied in accordance with EN 10149-1:2013, 8.1.

See EN 10149-1:2013, Clause 11, option 10).

## **8.2 Sampling**

Sampling shall be in accordance with EN 10149-1.

## **8.3 Test units**

The test unit shall be in accordance with EN 10149-1.

## **8.4 Verification of chemical composition**

The verification of the chemical composition shall be in accordance with EN 10149-1.

See EN 10149-1:2013, Clause 11, option 4).